



THE BEST IN  
**FR**  
GEAR  
2020

 **FR-TECH**<sup>®</sup>

 **FLAME-GARD**<sup>®</sup>



A  
 **SureWerx**<sup>™</sup>  
Brand  
surewerx.com



# THE BEST IN FR GEAR 2020

PIONEER

## FROM BASE LAYER...

FR/ARC Rated Underwear  
- Modacrylic Blend Rib Knit



## TO OUTER LAYER...

FR-Tech® Flame Resistant  
7 oz Safety Shirts

FR/ARC Rated Quilted Safety  
Parka - 100% Cotton  
- Modacrylic Insulation

FR/ARC Rated Quilted Safety  
Overalls - 100% Cotton  
- Modacrylic Insulation



NOMEX®  
IIIA Beanie

# WE HAVE YOU COVERED!

### FR-Tech® Flame Resistant Safety Jackets

- Flame resistance and comfort combined
- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 9 oz (340 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Thermal Protective Performance (TPP) value: 9 cal/cm²
- 7773 - CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- 7774 - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- StarTech® FR reflective tape with aramid backing
- ATPV 10 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Flame resistance guaranteed for the life of the garment
- FR brass zipper with metal hook and loop tab front placket
- Radiophone clip strap
- 2 chest pockets, 1 with flap closure
- 2 large lower pockets with flaps
- Adjustable cuffs with hook and loop tabs
- Stand-up collar with snap closure



Certified to **UL**



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540850	7773	Hi-Viz Orange	S-5XL
V2540810	7774	Royal Blue	S-5XL

### FR-Tech® Flame Resistant 7 oz Hi-Viz Safety Overalls

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018
- Average Thermal Protective Performance (TPP) value: 9 cal/cm²
- 7712 - CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- 7714 - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Double-stitched StarTech® FR reflective tape
- Sewn with aramid inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- 2-way FR brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable elastic suspenders
- Elastic waist band on back



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540480	7712	Hi-Viz Orange	S-5XL
V2540450	7714	Royal	S-5XL



## FR-Tech® Flame Resistant 7 oz Vests **NEW**

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20, 2017 and NFPA 2112-2018 certified to UL
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- Meets ASTM F1506-2018, NFPA 70E and CSA Z462-15
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- 7729/7730 - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- 7728 - CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- StarTech® FR reflective tape
- Sewn with inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- Cell phone pocket
- Non-conductive concealed snaps
- D ring access slot



Certified to **UL**



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540050	7728	Hi-Viz Orange	S-4XL
V2540070	7729	Black	S-4XL
V2540080	7730	Royal Blue	S-4XL

## FR-Tech® Flame Resistant 7 oz Surveyor's Vests

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL - must be worn with an FR/arc rated sleeved garment
- Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- 7732 - CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- 7731/7733 - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- StarTech® FR reflective tape with aramid backing
- Flame resistance guaranteed for the life of the garment
- Metal snap front closure
- Radiophone clip strap and pocket
- Multiple front pockets including cell phone pockets, 4 inner pockets, big back pouch with zipper opening
- D-ring access slot and hanger loop
- Reinforced shoulder seam, contrast binding



Certified to **UL**



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540740	7731	Red	S-4XL
V2540750	7732	Hi-Viz Orange	S-4XL
V2540780	7733	Royal Blue	S-4XL

## Flame Resistant Hi-Viz Vests

- FR treated polyester mesh
- Meets EN ISO 14116 Index 1
- Must be worn over a FR sleeved garment
- CSA Z96-15 Class 2 Level 2
- ANSI/ISEA 107-15 Class 2 Type P and R
- 5 point tear-away
- StarTech® FR reflective tape
- D ring access slot
- Adjustable 1 size up at front



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2510850	6914A	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL
V2510860	6916A	Hi-Viz Yellow/Green	S/M, L/XL, 2/3XL, 4/5XL

## 100% Cotton Flame Resistant Interlock 7 oz Henley Shirts **NEW**

- 100% FR treated preshrunk cotton interlock knit, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Thermal Protective Performance (TPP): 15.2 cal/cm<sup>2</sup>
- Meets ASTM F1506-2018, NFPA 70E-15 and CSA Z462-15
- ATPV 12 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Sewn with inherently FR thread
- Left chest pocket
- Self-fabric crew neck collar
- Henley placket neck opening with 3 buttons
- Comfort self-fabric cuffs



Certified to **UL**



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2580230	331	Beige	S-5XL
V2580270	332	Black	S-5XL

## Flame Resistant Long-Sleeved Cotton Shirts

- 100% FR treated preshrunk cotton knit, 7.5 oz (250 GSM)
- Material and all components meet CGSB 155.20-2017
- Thermal Protective Performance (TPP) value: 7.3 cal/cm<sup>2</sup>
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Sewn with inherently FR thread
- Left chest pocket
- Crew collar neck
- Comfort knit cuffs



**FLAME-GARD®** ARC 2

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2580310	333	Light Grey	S-5XL
V2580380	333	Navy	S-5XL

## Flame Resistant Long-Sleeved Cotton Safety Shirts

- 100% FR treated preshrunk cotton, 7.5 oz (250 GSM)
- Material and all components meet CGSB 155.20-2017
- Thermal Protective Performance (TPP) value: 7.3 cal/cm<sup>2</sup>
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- ANSI/ISEA 107-15 Class 1 Type O
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- StarTech® FR reflective tape
- Sewn with inherently FR thread
- Self fabric crew neck
- Chest pocket with hook and loop closure



**FLAME-GARD®** ARC 2

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2580450	339SFA	Orange	S-5XL
V2580470	340SFA	Black	S-5XL

## FR-Tech® Flame Resistant 7 oz Safety Shirts

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- 7743 - CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- 7743 - Double-stitched StarTech® FR reflective tape
- Sewn with aramid inherently FR thread
- Flame resistance guaranteed for the life of the garment
- 2 chest pockets with flaps
- Adjustable wrists with 2 buttons
- Pen slot on chest pocket
- Non-conductive FR buttons



**FR-TECH®** ARC 2

Certified to **UL**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540430	7741	Khaki	S-4XL
V2540440	7742	Navy	S-4XL
V2540460	7743	Hi-Viz Orange	S-4XL

## Flame Resistant Modacrylic Underwear

- 4-way stretch Flame-Gard® material
- Permanent flame resistant fabric, will not wash out
- Flame resistance and comfort combined
- Modacrylic blend jersey knit
- Antistatic
- ATPV 8.4 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- 4401 - Crew neck and rib cuffs
- 4402 - Rib ankles

**FLAME-GARD®** ARC 2



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2591470	4401	Heather Grey	XS-4XL
V2592470	4402	Heather Grey	XS-4XL



## FR-Tech® Flame Resistant 7 oz Safety Pants

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Sewn with aramid inherently FR thread
- Flame resistance guaranteed for the life of the garment
- FR brass zipper
- 2 front and 2 back pockets



7761

7762



Certified to **UL**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540530	7761	Navy	30x30 - 40x30, 30x32 - 44x32, 32x34 - 42x34
V2540540	7762	Navy	30x30 - 40x30, 30x32 - 44x32, 32x34 - 42x34
V2540550	7763	Hi-Viz Orange	30x30 - 40x30, 30x32 - 44x32, 32x34 - 42x34

## Flame Resistant Modacrylic Cotton Fleece Hoodies

**NEW**

- Flame resistance and comfort combined
- Modacrylic cotton blend fleece material meets CGSB 155.20, 2017 and NFPA 2112-2018 certified to UL
- CSA Z96-15 Class 2 level 2
- ATPV **TBD** cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 3 Arc Rating Category
- StarTech® FR reflective tape
- FR metal zipper front with placket
- Removable snap on/off drawstring hood
- 2 pockets
- Rib cuffs and hem
- Sewn with inherently FR thread



Certified to **UL**



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2590450	484	Hi-Viz Orange	S-4XL
V2590460	485	Hi-Viz Yellow	S-4XL

## Flame Resistant Zip Style Heavyweight Cotton Safety Hoodies

- 100% FR treated preshrunk cotton, 12 oz (400 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Thermal Protective Performance (TPP) value: 12.6 cal/cm<sup>2</sup>
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- ANSI/ISEA 107-15 Class 1 Type O
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- StarTech® FR reflective tape
- Sewn with inherently FR thread
- 2 front slash pockets
- FR brass non-locking zipper
- Tough double-stitched seams
- Liberal sizing
- Detachable snap hood



Certified to **UL**



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2570470	337SF	Black	XS-7XL
V2570450	338SF	Orange	XS-7XL

## Flame Resistant Heavyweight Cotton Hoodies

- 100% FR treated preshrunk cotton, 12 oz (400 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Thermal Protective Performance (TPP) value: 12.6 cal/cm<sup>2</sup>
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Sewn with inherently FR thread
- Liberal sizing
- Tough double-stitched seams
- Non-detachable hood
- 335: Front pouch pocket
- 337: 2 front slash pockets



335

337

Certified to **UL**



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2570170	335	Black	XS-7XL
V2570270	337	Black	XS-7XL

## FR-Tech® Flame Resistant 7 oz Hi-Viz Safety Coveralls

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- 7702/7702T - CSA Z96-15 Class 3 Level 2 and Class 3 Level FR
- 7704/7704T - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Double-stitched StarTech® FR reflective tape
- Sewn with aramid inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- 2-way FR brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back and elastic waist



Certified to **UL** **ARC 2**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540350	7702	Hi-Viz Orange	36-60
V254035T	7702T	Hi-Viz Orange	40T-60T
V2540310	7704	Royal	36-60
V254031T	7704T	Royal	40T-60T

## Flame Resistant Cotton Safety Coveralls

- 100% cotton, FR treated, 10 oz (340 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Thermal Protective Performance (TPP) value: 8.5 cal/cm<sup>2</sup>
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9.5 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- StarTech® FR reflective tape
- Sewn with inherently FR thread
- 2-way FR brass non-locking zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back and elastic waist
- Radiophone clip strap



Certified to **UL**

**FLAME-GARD** **ARC 2**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2520250	5555	Orange	36-66
V252025T	5555T	Orange	40T-66T
V2520210	5558A	Royal	36-66
V252021T	5558AT	Royal	40T-66T
V2520270	5558BK	Black	36-66
V252027T	5558BKT	Black	40T-66T

## FR-Tech® Flame Resistant 7 oz Safety Coveralls with Leg Zippers

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- 7705/7705T - CSA Z96-15 Class 3 Level 2 and Class 3 Level FR
- 7706/7706T - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Double-stitched StarTech® FR reflective tape
- Sewn with aramid inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- 2-way FR brass zipper
- 18" covered leg zippers
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back and elastic waist



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540650	7705	Hi-Viz Orange	36-60
V254065T	7705T	Hi-Viz Orange	40T-60T
V2540510	7706	Royal	36-60
V254051T	7706T	Royal	40T-60T



## FR-Tech® Flame Resistant Quilted Cotton Safety Parkas

- 5523: Shell fabric 100% cotton, FR treated, 10 oz (340 GSM)
- 5523: CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- 5533: FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM)
- 5533: CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- Material and all components meet CGSB 155.20-2000
- Sewn with inherently FR thread
- All metal components are concealed to ensure no arc flash conductivity
- Thermal Protective Performance (TPP) value: contact test 18.8
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 46 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- 6.5 oz (220 GSM) modacrylic polyester blend FR insulation
- StarTech® FR reflective tape
- Tough double-stitched seams
- Radiophone clip strap
- FR brass non-locking zipper
- Fleece hand warmers
- Underarm gussets for extra mobility
- 6 storage pockets: 2 back, 2 chest, 2 side
- Action back, elastic waist and aramid storm cuffs



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2560210	5523	Royal	S-5XL
V2560250	5533	Orange	S-5XL

## FR-Tech® Flame Resistant Quilted Safety Overalls

- 5524A - Shell fabric 100% cotton, FR treated, 10 oz (340 GSM)
- 5524A - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- 5534A - FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM)
- 5534A - CSA Z96-15 Class 2 Level 2 and Class 2 Level FR
- Material and all components meet CGSB 155.20-2000
- Sewn with inherently FR thread
- All metal components are concealed to ensure no arc flash conductivity
- Thermal Protective Performance (TPP) value: contact test 18.8
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 46 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- 5.3 oz (180 GSM) modacrylic polyester blend FR insulation
- StarTech® FR reflective tape
- Tough double-stitched seams
- Radiophone clip strap
- 2-way FR brass non-locking zipper with storm placket
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Adjustable elastic suspenders and elastic waist
- 3/4 zipper plus snaps on each side
- Hammer loop



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2560311	5524A	Royal	S-5XL
V2560351	5534A	Orange	S-4XL

## FR-Tech® Flame Resistant Quilted Cotton Safety Coveralls

- 5522A: Shell fabric 100% cotton, FR treated, 10 oz (340 GSM)
- 5522A: CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- 5532A: FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM)
- 5532A: CSA Z96-15 Class 3 Level 2 and Class 2 Level FR
- Material and all components meet CGSB 155.20-2000
- Sewn with inherently FR thread
- All metal components are concealed to ensure no arc flash conductivity
- Thermal Protective Performance (TPP) value: contact test 18.8
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 46 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- 6.5 oz (220 GSM) modacrylic polyester blend FR insulation
- ARC 4 Arc Rating Category
- StarTech® FR reflective tape
- Tough double-stitched seams
- Radiophone clip strap
- 2-way FR brass non-locking zipper
- 6 storage pockets: 2 back, 2 chest, 2 side
- Action back, elastic waist and aramid storm cuffs
- Adjustable ankles
- 3/4 zipper plus snaps on each side



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2560111	5522A	Royal	S-4XL
V2560151	5532A	Orange	S-4XL



# THE BEST IN FR GEAR 2020

PIONEER

## “The Rock” FR-Tech® Flame Resistant 7 oz Coveralls with 2" Reflective Stripe

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- CSA Z96-15 Class 3 Level 2 and Class 3 Level FR
- Meets ASTM F1506-2018, NFPA 70E-2018 and CSA Z462-2018
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Double-stitched StarTech® FR 2" silver reflective tape
- Sewn with inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- 2-way FR brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Adjustable wrists with snap adjustment
- Elastic waist

**NEW**



Certified to **UL**  **FR-TECH®** **ARC 2**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540950	7708	Hi-Viz Orange	36-66
V254095T	7708T	Hi-Viz Orange	40T-66T

## FR-Tech® Flame Resistant 7 oz Coveralls without Stripe

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20, 2017 and NFPA 2112-2018 certified to UL
- Average Thermal Protective Performance (TPP) value: 9 cal/cm<sup>2</sup>
- Meets ASTM F1506-2018, NFPA 70E and CSA Z462-15
- ATPV 10 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Sewn with inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- 2-way FR brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back and elastic waist

**NEW**



Certified to **UL**  **FR-TECH®** **ARC 2**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V2540410	7779	Royal	36-60
V254041T	7779T	Royal	40T-60T





## Flame Resistant PVC Long Rain Coat

- 48" length
- .35 mm FR treated PVC/poly/PVC
- Meets CGSB 155.20-2000 Type 3
- 100% waterproof
- Zip and snap front placket
- Detachable snap hood



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3510560	580	Yellow	S-5XL

## Flame Resistant PVC Rain Jacket or Bib Pant

- .35 mm FR treated PVC/poly/PVC
- Meets CGSB 155.20-2000 Type 3
- 100% waterproof
- 578J - Jacket with zip, snap front placket, detachable snap hood and 2 patch pockets
- 578P - Bib pant with self-fabric suspenders



578J

578P



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3510660	578J	Yellow	S-6XL
V3510760	578P	Yellow	S-6XL

## Flame Resistant PVC Rain Suit

- .35 mm FR treated PVC/poly/PVC
- Meets CGSB 155.20-2000 Type 3
- 100% waterproof
- 2 patch pockets
- 3 pieces: jacket with zip, snap front placket and detachable snap hood; bib pant with self-fabric suspenders



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3510360	578	Yellow	XS-6XL

## Flame Resistant PVC Heavy-Duty 3-Piece Rain Suit

- Heavy-duty .45 mm FR treated PVC/polyester/PVC
- Meets CGSB 155.20-2000 Type 3
- 100% waterproof
- 3 pieces: jacket with snaps and detachable snap hood, double bib reversible pant with elastic suspenders



PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3510160	571	Yellow	S-5XL

## Flame Resistant PU Stretch Hi-Viz Waterproof Jackets

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- 5892/5894 - CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR hi-viz pant featuring reflective leg bands) and ANSI/ISEA 107-15 Class 3 Type P and R
- 5894BK - CSA Z96-15 Class 1 Level 2 and Class 1 Level FR and ANSI/ISEA 107-15 Class 1 Type O
- Passes ASTM D6413-13 flame resistance test
- Oil and chemical resistant
- 100% waterproof and windproof
- Lightweight and tough 4-way stretch PU
- StarTech® FR reflective tape
- Heat welded seams
- Extra-large detachable hood
- Full front zipper with snap storm placket



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3520150	5892	Hi-Viz Orange	XS-7XL
V3520160	5894	Hi-Viz Yellow/Green	XS-4XL
V3520170	5894BK	Black	XS-5XL

## Flame Resistant PU Stretch Hi-Viz Waterproof Bib Pants

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- CSA Z96-15 Class 3 Level 2 and Class 3 Level FR when worn with CSA Class 2 Level 2 and Class 2 Level FR top featuring reflective arm bands and ANSI/ISEA 107-15 Class E Supplemental Type
- Passes ASTM D6413-13 flame resistance test
- Oil and chemical resistant
- 100% waterproof and windproof
- Lightweight and tough 4-way stretch PU
- StarTech® FR reflective tape
- Heat welded seams
- Heavy-duty suspenders with quick-release clips
- Adjustable waist with snaps



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3520250	5893	Hi-Viz Orange	XS-7XL
V3520260	5895	Hi-Viz Yellow/Green	XS-4XL
V3520270	5895BK	Black	XS-5XL

## Flame Resistant PU Waterproof Safety Jacket with pockets

**NEW**

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR Hi-Viz pant featuring reflective leg bands) and ANSI/ISEA 107-15 Class 3 Type P and R
- Passes ASTM D6413-13 flame resistance test
- Oil and chemical resistant
- 100% waterproof and windproof
- 2 front patch pockets and flap closure with snaps
- Lightweight and tough 4-way stretch PU
- StarTech® FR reflective tape
- Heat welded seams
- Extra-large detachable hood
- Full front zipper with snap storm placket



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3520550	5892PKT	Hi-Viz Orange	XS-7XL

## Flame Resistant PU Stretch Hi-Viz Long Waterproof Coats

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- CSA Z96-15 Class 3 Level 2 and Class 3 Level FR and ANSI/ISEA 107-15 Class 3 Type P and R
- Passes ASTM D6413-13 flame resistance test
- Oil and chemical resistant
- 100% waterproof and windproof
- Lightweight and tough 4-way stretch PU
- StarTech® FR reflective tape
- Heat welded seams
- Extra-large detachable hood
- Full front zipper with snap storm placket



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE RANGE
V3520350	5896	Hi-Viz Orange	S-5XL
V3520360	5897	Hi-Viz Yellow/Green	XS-5XL



### Hood for Flame Resistant Quilted Safety Parka or Coverall

- Shell fabric 100% cotton, FR treated, 10 oz (340 GSM)
- Material and all components meet CGSB 155.20-2000
- Sewn with inherently FR thread
- Thermal Protective Performance (TPP) value: contact test 18.8
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 46 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- Tough double-stitched seams



**FR-TECH**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V2561140	523A	Royal	Fit-All

### Hood for Flame Resistant Quilted Safety Parka or Coverall

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM)
- Material and all components meet CGSB 155.20-2000
- Sewn with inherently FR thread
- Thermal Protective Performance (TPP) value: contact test 18.8
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 46 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- Tough double-stitched seams



**FR-TECH**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V2561150	524	Orange	Fit-All

### Heavy-Duty Flame Resistant Quilted Long Neck Hard Hat Liner

- 100% FR treated 5 oz (170 GSM) woven cotton shell
- Shell fabric meets CGSB 155.20-2000
- FR treated brushed cotton lining
- Long neck with detachable mouthpiece
- Helmet secure straps



**FLAME-GARD**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4512070	5565A	Black	Fit-All

### Flame Resistant Quilted Hard Hat Liner

- 100% FR treated 5 oz (170 GSM) woven cotton shell
- Shell fabric meets CGSB 155.20-2000
- FR treated brushed cotton lining
- No mouthpiece
- Helmet secure straps



**FLAME-GARD**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4510870	564A	Black	Fit-All

### Flame Resistant Quilted Long Neck Hard Hat Liner

- 100% FR treated 5 oz (170 GSM) woven cotton shell
- Shell fabric meets CGSB 155.20-2000
- FR treated brushed cotton lining
- Long neck with detachable mouthpiece
- Helmet secure straps
- Sewn with inherently FR thread



**FLAME-GARD**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4510970	565A	Black	Fit-All

### Flame Resistant Quilted Hard Hat Liner with mouthpiece

- 100% FR treated 5 oz (170 GSM) woven cotton shell
- Shell fabric meets CGSB 155.20-2000
- FR treated brushed cotton lining
- Detachable mouthpiece
- Helmet secure straps
- Sewn with inherently FR thread



**FLAME-GARD**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4511070	566A	Black	Fit-All

### Nomex® IIIA 1-Hole Balaclava

- Nomex® IIIA life-long flame resistant
- 1 hole



**FLAME-GARD**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520170	666	Black	Fit-All

### Nomex® IIIA Toque

- Nomex® IIIA life-long flame resistant



**FLAME-GARD**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520270	C200	Black	Fit-All

### Nomex® IIIA Beanie

- Nomex® IIIA life-long flame resistant
- Tight-knit for best fit



**FLAME-GARD**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520370	C201	Black	Fit-All

## Nomex® Neck Warmer/Windguard

- Nomex® life-long flame resistant



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520510	G207	White	Fit-All

## Nomex® IIIA Neck Warmer/Windguard

- Nomex® IIIA life-long flame resistant



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520570	G207BK	Premium Black	Fit-All

## Nomex® Medium-Knit Balacclava

- Nomex® life-long flame resistant
- 1 hole
- 4-piece cape/hood design



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520710	G214	White	Fit-All

## Nomex® IIIA Medium-Knit Balacclava

- Nomex® IIIA life-long flame resistant
- 1 hole
- 4-piece cape/hood design



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520770	G214BK	Premium Black	Fit-All

## Nomex® IIIA Light-Knit Balacclava

- Nomex® IIIA life-long flame resistant
- ARC 2 rating: ATPV 14 cal/cm
- 1 hole



**FLAME-GARD®** **ARC 2**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520970	G215	Black	Fit-All

## Nomex® IIIA 3-Hole Balacclava

- Nomex® IIIA life-long flame resistant
- 3 holes



**FLAME-GARD®**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4520470	G202	Black	Fit-All

## Double Layer One-Hole Balacclava

- Inherently flame resistant and arc rated Flame-Gard® blend
- ATPV 40 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- Super soft, warm and comfortable
- Safe long neck design
- Elastic face line
- Side slit



**FLAME-GARD®** **ARC 4**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4530270	G304	Black	Fit-All

## Double Layer Neck Warmer

- Inherently flame resistant and arc rated Flame-Gard® blend
- ATPV 40 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- Super soft, warm and comfortable



**FLAME-GARD®** **ARC 4**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4530370	G307	Black	Fit-All

## Double Layer Toque

- Inherently flame resistant and arc rated Flame-Gard® blend
- ATPV 40 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category
- Super soft, warm and comfortable



**FLAME-GARD®** **ARC 4**

PROD. NO.	MOD. NO.	COLOUR	SIZE
V4530170	G300	Black	Fit-All