

PAPER - HOOK & SAND

- stripping paint and primers
- blending, leveling, finishing, dimensioning
- sanding of bare wood, metal, fiberglass and plastic
- primer and sealer sanding

| GRIT | APPLICATION |
|------------------|---|
| Extra Fine (320) | For primer, sealer and between coats sanding |
| Very Fine (220) | For very fine sanding of bare surfaces, primer and sealer sanding |
| Fine (180/150) | For finish sanding and cleaning of bare surfaces |
| Medium (120/100) | For light removal and smoothing of bare surfaces |
| Coarse (80/60) | For moderate removal and leveling of surface imperfections |
| Ex. Coarse (40) | For heavy removal, stripping and dimensioning |



3X HIGH PERFORMANCE

| FEATURES | BENEFITS |
|--|--|
| ■ patented, ceramic alumina P-graded (80-320) | ■ lasts 3X longer than conventional abrasive, aluminum oxide |
| ■ unique, fiber reinforced backing | ■ consistent finish |
| ■ non-pigmented, water-based zinc stearate coating | ■ superior cut rate |
| ■ patented, universal vac hole pattern (5" only) | ■ edge tear resistant |
| ■ hook & loop backing | ■ reduced loading |
| | ■ no finish contamination |
| | ■ fits 5 and 8 hole vac sanders |
| | ■ quick and easy disc change |
| | ■ allows repeated use until disc is worn |

| PART NUMBER | UPC-A | GRIT | GRADING | QTY/ PACK | PACKS/ CASE |
|--|---------------|------|------------|--------------|----------------|
| 3X HOOK & SAND - HANDY PACKS | | | | | |
| 5" x 5 and 8 Hole - Universal Vac Hole (A975) | | | | | |
| 07660703226 | 07660703226 3 | P320 | Ex. Fine | 3 | 15 |
| 07660703227 | 07660703227 0 | P220 | Very Fine | 3 | 15 |
| 07660703228 | 07660703228 8 | P180 | Fine | 3 | 15 |
| 07660703229 | 07660703229 4 | P150 | Fine | 3 | 15 |
| 07660703230 | 07660703230 0 | P120 | Medium | 3 | 15 |
| 07660703231 | 07660703231 7 | P100 | Medium | 3 | 15 |
| 07660703232 | 07660703232 4 | P80 | Coarse | 3 | 15 |
| 07660703233 | 07660703233 1 | P60 | Coarse | 2 | 15 |
| 07660703234 | 07660703234 8 | P40 | Ex. Coarse | 2 | 15 |
| 3X HOOK & SAND - JOB PACKS | | | | | |
| 5" x 5 and 8 Hole - Universal Vac Hole (A975) | | | | | |
| 07660703217 | 07660703217 1 | P320 | Ex. Fine | 10 | 10** |
| 07660703218 | 07660703218 8 | P220 | Very Fine | 10 | 10** |
| 07660703219 | 07660703219 5 | P180 | Fine | 10 | 10** |
| 07660703220 | 07660703220 1 | P150 | Fine | 10 | 10** |
| 07660703221 | 07660703221 8 | P120 | Medium | 10 | 10** |
| 07660703222 | 07660703222 5 | P100 | Medium | 10 | 10** |
| 07660703223 | 07660703223 2 | P80 | Coarse | 10 | 10** |
| 07660703224 | 07660703224 9 | P60 | Coarse | 10 | 10** |
| 07660703225 | 07660703225 6 | P40 | Ex. Coarse | 10 | 10** |
| 6" x 6 Hole (A975) | | | | | |
| 07660705320 | 07660705320 6 | P220 | Very Fine | 10 | 10** |
| 07660705322 | 07660705322 0 | P150 | Fine | 10 | 10** |
| 07660705324 | 07660705324 4 | P100 | Medium | 10 | 10** |
| 07660705326 | 07660705326 8 | P60 | Coarse | 10 | 10** |

| PART NUMBER | UPC-A | GRIT | GRADING | QTY/ PACK | PACKS/ CASE |
|--|---------------|------|-----------|--------------|----------------|
| 3X HOOK & SAND - JOB PACKS - LARGE | | | | | |
| 5" x 5 and 8 Hole - Universal Vac Hole (A975) | | | | | |
| 07660782119 | 07660782119 5 | P320 | Ex. Fine | 40 | 5 NEW |
| 07660782118 | 07660782118 8 | P220 | Very Fine | 40 | 5 NEW |
| 07660782117 | 07660782117 1 | P180 | Fine | 40 | 5 NEW |
| 07660782116 | 07660782116 4 | P150 | Fine | 40 | 5 NEW |
| 07660782115 | 07660782115 7 | P120 | Medium | 40 | 5 NEW |
| 07660782114 | 07660782114 0 | P100 | Medium | 40 | 5 NEW |
| 07660782113 | 07660782113 3 | P80 | Coarse | 40 | 5 NEW |
| 07660782112 | 07660782112 6 | P60 | Coarse | 40 | 5 NEW |
| 3X HOOK & SAND - JOB PACKS - BULK | | | | | |
| 5" x 5 and 8 Hole - Universal Vac Hole (A975) | | | | | |
| 07660704041 | 07660704041 1 | P320 | Ex. Fine | 50 | 200 |
| 07660704038 | 07660704038 1 | P220 | Very Fine | 50 | 200 |
| 07660704037 | 07660704037 4 | P180 | Fine | 50 | 200 |
| 07660704036 | 07660704036 7 | P150 | Fine | 50 | 200 |
| 07660704035 | 07660704035 0 | P120 | Medium | 50 | 200 |
| 07660704034 | 07660704034 3 | P100 | Medium | 50 | 200 |
| 07660704033 | 07660704033 6 | P80 | Coarse | 50 | 200 |
| 07660705277 | 07660705277 3 | P60 | Coarse | 50 | 200 |
| 6" x 8 Hole - Removable Center Hole for Makita & Festool (A975) | | | | | |
| 07660705484 | 07660705484 5 | P220 | Very Fine | 50 | 200 |
| 07660705486 | 07660705486 9 | P150 | Fine | 50 | 200 |
| 07660705487 | 07660705487 6 | P120 | Medium | 50 | 200 |
| 07660705488 | 07660705488 3 | P100 | Medium | 50 | 200 |
| 07660705489 | 07660705489 9 | P80 | Coarse | 50 | 200 |
| 07660705490 | 07660705490 6 | P60 | Coarse | 50 | 200 |

**PACKAGED IN CONVENIENT DISPLAY CASE FORMAT. NO INNER MINIMUM PACKAGE.

HOOK & SAND

FEATURES

- aluminum oxide abrasive P-graded
- heavy-duty backing
- anti-clog coating
- hook & loop backing

BENEFITS

- durability and value for dry finishing
- edge tear resistant
- reduced loading
- quick disc changes

| PART NUMBER | UPC-A | GRIT | GRADING | QTY/ PACK | PACKS/ CASE |
|-------------|-------|------|---------|--------------|----------------|
|-------------|-------|------|---------|--------------|----------------|

HOOK & SAND - HANDY PACKS

4-1/2" x 8 Hole (A290)

| | | | | | |
|-------------|---------------|------|-----------|---|----|
| 07660702501 | 07660749131 2 | P220 | Very Fine | 4 | 10 |
| 07660702502 | 07660749132 9 | P150 | Fine | 4 | 10 |
| 07660702503 | 07660749133 6 | P100 | Medium | 4 | 10 |
| 07660702504 | 07660749134 3 | P60 | Coarse | 4 | 10 |

5" x 5 Hole (A290)

| | | | | | |
|-------------|---------------|------|-----------|---|------|
| 07660749165 | 07660749165 7 | P220 | Very Fine | 4 | 15** |
| 07660749166 | 07660749166 4 | P150 | Fine | 4 | 15** |
| 07660702206 | 07660702206 6 | P120 | Medium | 4 | 15** |
| 07660749167 | 07660749167 1 | P100 | Medium | 4 | 15** |
| 07660702207 | 07660702207 3 | P80 | Coarse | 4 | 15** |
| 07660749168 | 07660749168 8 | P60 | Coarse | 4 | 15** |

5" x 8 Hole (A290)

| | | | | | |
|-------------|---------------|-------|------------|---|------|
| 07660749155 | 07660749155 8 | P220 | Very Fine | 4 | 15** |
| 07660749156 | 07660749156 5 | P150 | Fine | 4 | 15** |
| 07660702208 | 07660702208 0 | P120 | Medium | 4 | 15** |
| 07660749157 | 07660749157 2 | P100 | Medium | 4 | 15** |
| 07660702209 | 07660702209 7 | P80 | Coarse | 4 | 15** |
| 07660749158 | 07660749158 9 | P60 | Coarse | 4 | 15** |
| 07660749159 | 07660749159 6 | Asst. | 2F, 1M, 1C | 4 | 15** |

5" x 5 and 8 Hole - Universal Vac Hole (A290)

| | | | | | |
|-------------|---------------|------|----------------|---|------|
| 07660702001 | 07660702001 7 | P220 | Very Fine | 4 | 15** |
| 07660702003 | 07660702003 1 | P150 | Fine | 4 | 15** |
| 07660702005 | 07660702005 5 | P100 | Medium | 4 | 15** |
| 07660702007 | 07660702007 9 | P60 | Coarse | 4 | 15** |
| 07660702320 | 07660702320 9 | | Conversion Pad | 1 | 15** |

KIT

5" Ergonomic Hook & Sand Hand Sander Disc Kit

| | | | | | |
|-------------|---------------|--|-------------|---|------|
| 07660703968 | 07660703968 2 | | 5" Pad & 1M | 1 | 10** |
|-------------|---------------|--|-------------|---|------|



The unique shape and design quickly converts a 5" hook & loop disc into a hand sanding tool. The ergonomic shape fits the user's finger grip for added comfort and reduced fatigue.

| PART NUMBER | UPC-A | GRIT | GRADING | QTY/ PACK | PACKS/ CASE |
|-------------|-------|------|---------|--------------|----------------|
|-------------|-------|------|---------|--------------|----------------|

HOOK & SAND - JOB PACKS

5" x 5 Hole (A290)

| | | | | | |
|-------------|---------------|------|--|----|------|
| 07660749209 | 07660749209 8 | P320 | | 25 | 10** |
| 07660749210 | 07660749210 4 | P220 | | 25 | 10** |
| 07660749211 | 07660749211 1 | P180 | | 25 | 10** |
| 07660749212 | 07660749212 8 | P150 | | 25 | 10** |
| 07660749213 | 07660749213 5 | P120 | | 25 | 10** |
| 07660749214 | 07660749214 2 | P100 | | 25 | 10** |
| 07660749215 | 07660749215 9 | P80 | | 25 | 10** |
| 07660749216 | 07660749216 6 | P60 | | 25 | 10** |
| 07660749217 | 07660749217 3 | P40 | | 20 | 10** |

5" x 8 Hole (A290)

| | | | | | |
|-------------|---------------|------|--|----|------|
| 07660749218 | 07660749218 0 | P220 | | 25 | 10** |
| 07660749219 | 07660749219 7 | P180 | | 25 | 10** |
| 07660749220 | 07660749220 3 | P150 | | 25 | 10** |
| 07660749221 | 07660749221 0 | P120 | | 25 | 10** |
| 07660749222 | 07660749222 7 | P100 | | 25 | 10** |
| 07660749223 | 07660749223 4 | P80 | | 25 | 10** |
| 07660749224 | 07660749224 1 | P60 | | 25 | 10** |
| 07660749225 | 07660749225 8 | P40 | | 20 | 10** |

5" x 5 and 8 hole - Universal Vac Hole (A290)

| | | | | | |
|-------------|---------------|------|--|----|------|
| 07660704056 | 07660704056 5 | P320 | | 25 | 10** |
| 07660704057 | 07660704057 2 | P220 | | 25 | 10** |
| 07660704058 | 07660704058 9 | P180 | | 25 | 10** |
| 07660704059 | 07660704059 6 | P150 | | 25 | 10** |
| 07660704060 | 07660704060 2 | P120 | | 25 | 10** |
| 07660704061 | 07660704061 9 | P100 | | 25 | 10** |
| 07660704062 | 07660704062 6 | P80 | | 25 | 10** |
| 07660704063 | 07660704063 3 | P60 | | 25 | 10** |
| 07660704064 | 07660704064 0 | P40 | | 20 | 10** |

6" x 6 Hole

| | | | | | |
|-------------|---------------|------|--|----|---------|
| 07660701639 | 07660701639 3 | P320 | | 25 | 10**WSL |
| 07660701635 | 07660701635 5 | P220 | | 25 | 10** |
| 07660701638 | 07660701638 6 | P180 | | 25 | 10**WSL |
| 07660701634 | 07660701634 8 | P150 | | 25 | 10** |
| 07660701637 | 07660701637 9 | P120 | | 25 | 10** |
| 07660701633 | 07660701633 1 | P100 | | 25 | 10** |
| 07660701636 | 07660701636 2 | P80 | | 25 | 10** |
| 07660701632 | 07660701632 4 | P60 | | 25 | 10** |

STICK & SAND

| FEATURES | BENEFITS |
|--|--|
| <ul style="list-style-type: none"> ■ durable, sharp ■ non-pigmented, water-based stearate (anti-clog) coating ■ pressure sensitive adhesive | <ul style="list-style-type: none"> ■ aggressive, cool cutting aluminum oxide abrasive ■ resists loading ■ won't contaminate finish ■ allows for quick and easy disc change |

| PART NUMBER | UPC-A | GRIT | GRADING | DISCS/ROLL | ROLLS/PACK |
|---|---------------|------|-----------|------------|------------|
| STICK & SAND (PSA) - JOB PACKS | | | | | |
| 5" x No Hole Disc Roll (A290) | | | | | |
| 07660749231 | 07660749231 9 | P320 | Ex. Fine | 50 | 10** |
| 07660749232 | 07660749232 6 | P220 | Very Fine | 50 | 10** |
| 07660749239 | 07660749239 5 | P150 | Fine | 50 | 10** |
| 07660749236 | 07660749236 4 | P100 | Medium | 50 | 10** |
| 07660749238 | 07660749238 8 | P80 | Coarse | 50 | 10** |
| 07660749237 | 07660749237 1 | P60 | Coarse | 50 | 10** |
| 5" x 5 Hole Disc Roll (A290) | | | | | |
| 07660701647 | 07660701647 8 | P220 | Very Fine | 50 | 10** |
| 07660701646 | 07660701646 1 | P180 | Fine | 50 | 10** |
| 07660701645 | 07660701645 4 | P150 | Fine | 50 | 10** |
| 07660701644 | 07660701644 7 | P120 | Medium | 50 | 10** |
| 07660701643 | 07660701643 0 | P100 | Medium | 50 | 10** |
| 07660701642 | 07660701642 3 | P80 | Coarse | 50 | 10** |
| 07660701641 | 07660701641 6 | P60 | Coarse | 50 | 10** |
| 6" x No Hole Disc Roll (A290) | | | | | |
| 07660749240 | 07660749240 1 | P220 | Very Fine | 50 | 10** |
| 07660749242 | 07660749242 5 | P150 | Fine | 50 | 10** |
| 07660749244 | 07660749244 9 | P100 | Medium | 50 | 10** |
| 07660749246 | 07660749246 3 | P80 | Coarse | 50 | 10** |
| 6" x 6 Hole Disc Roll (A290) | | | | | |
| 07660701649 | 07660701649 2 | P220 | Very Fine | 50 | 10** |
| 07660701650 | 07660701650 8 | P150 | Fine | 50 | 10** |
| 07660701651 | 07660701651 5 | P100 | Medium | 50 | 10** |
| 07660701652 | 07660701652 2 | P80 | Coarse | 50 | 10** |

| PART NUMBER | UPC-A | GRIT | GRADING | QTY/PACK | PACKS/CASE |
|---|---------------|------|-----------|----------|------------|
| STICK & SAND (PSA) - HANDY PACKS | | | | | |
| 5" x No Hole (A290) | | | | | |
| 07660705454 | 07660748906 7 | P120 | Fine | 5 | 10** |
| 07660705455 | 07660748907 4 | P80 | Medium | 5 | 10** |
| 07660705456 | 07660748908 1 | P40 | Coarse | 4 | 10** |
| 5" x 8 Hole (A290) | | | | | |
| 07660701809 | 07660701809 0 | P220 | Very Fine | 5 | 15** |
| 07660701811 | 07660701811 3 | P150 | Fine | 5 | 15** |
| 07660701812 | 07660701812 0 | P100 | Medium | 4 | 15** |
| 07660701815 | 07660701815 1 | P60 | Coarse | 4 | 15** |
| 6" x No Hole (A290) | | | | | |
| 07660702498 | 07660748909 8 | P120 | Fine | 5 | 10 |
| 07660702499 | 07660748910 4 | P80 | Medium | 5 | 10 |
| 07660702500 | 07660748911 1 | P40 | Coarse | 4 | 10 |

DRILL SAND

| FEATURES | BENEFITS |
|--|---|
| <ul style="list-style-type: none"> ■ aluminum oxide abrasive ■ center hole mount | <ul style="list-style-type: none"> ■ general purpose sanding ■ attached to back-up pad for use with all electric drills |

| PART NUMBER | UPC-A | GRIT | GRADING | QTY/PACK | PACKS/CASE |
|---------------------------------|---------------|-------|---------------|----------|------------|
| DRILL SAND - HANDY PACKS | | | | | |
| 5" x 1/4" | | | | | |
| 07660702494 | 07660748765 0 | P150 | Fine | 5 | 10 |
| 07660702495 | 07660748780 3 | P80 | Medium | 5 | 10 |
| 07660702496 | 07660748795 7 | P50 | Coarse | 5 | 10 |
| 07660702497 | 07660748835 0 | Asst. | 2F, 2M, 1C | 5 | 10 |
| 07660743135 | 07660743135 6 | | 5" Backup Pad | 1 | 12** |

KIT

| | | | | | |
|--|---------------|--|---------------------|---|------|
| 5" Stick & Sand Power Sanding Kit | | | | | |
| 07660748919 | 07660748919 7 | | 5" Pad & 2F, 2M, 1C | 1 | 12** |



Kit includes 3 grits of abrasive and drill mount pad to convert standard drill (cordless included) to be used for sanding

CLOTH DISCS

- rough sanding of primed and painted surfaces
- stripping paint and primers
- blending, leveling and finishing
- heavy stock removal of wood, metal, plastic and fiberglass
- sanding inside and outside corners, contours or flat surfaces
- dimensioning and finishing metal workpieces
- dimensioning and finish sanding of bare wood

| GRIT | APPLICATION |
|-------------|---|
| Fine (120) | For light sanding/finishing or cleaning of surfaces |
| Medium (80) | For moderate removal of imperfections |
| Coarse (50) | For rough sanding of primed or painted surfaces as well as dimensioning |



| PART NUMBER | UPC-A | GRIT | QTY/ PACK | PACKS/ CASE |
|---|---------------|------|--------------|----------------|
| CLOTH STICK & SAND ORBITAL/BENCH DISCS - HANDY PACKS | | | | |
| 5" Adhesive Backed Aluminum Oxide Cloth (R228) | | | | |
| 07660701994 | 07660701994 3 | 120X | 2 | 15** |
| 07660701996 | 07660701996 7 | 80X | 2 | 15** |
| 07660701998 | 07660701998 1 | 50X | 2 | 15** |
| 6" Adhesive Backed Aluminum Oxide Cloth (R228) | | | | |
| 07660701986 | 07660701986 3 | 220X | 2 | 15** |
| 07660701987 | 07660701987 5 | 120X | 2 | 15** |
| 07660701989 | 07660701989 9 | 80X | 2 | 15** |
| 07660701991 | 07660701991 2 | 50X | 2 | 15** |
| 8" Adhesive Backed Aluminum Oxide Cloth (R228) | | | | |
| 07660701981 | 07660701981 3 | 100X | 2 | 15** |
| 9" Adhesive Backed Aluminum Oxide Cloth (R228) | | | | |
| 07660705278 | 07660705278 0 | 180X | 2 | 15** |
| 07660701973 | 07660701973 8 | 120X | 2 | 15** |
| 07660701975 | 07660701975 2 | 80X | 2 | 15** |
| CLOTH ADHESIVE BACK ALUMINUM OXIDE (R228) - BULK - NON UPC | | | | |
| 5" | | | | |
| 66261136581 | 66261136581 9 | 180X | 50 | 250 |
| 66261136582 | 66261136582 6 | 150X | 50 | 250 |
| 66261136583 | 66261136583 3 | 120X | 50 | 250 |
| 66261136584 | 66261136584 0 | 100X | 50 | 250 |
| 66261136585 | 66261136585 7 | 80X | 50 | 250 |
| 66261136586 | 66261136586 4 | 60X | 50 | 250 |
| 66261136587 | 66261136587 1 | 50X | 50 | 250 |
| 66261136588 | 66261136588 8 | 40X | 50 | 250 |
| 66261136589 | 66261136589 5 | 36X | 50 | 250 |
| 6" | | | | |
| 66261136592 | 66261136592 5 | 180X | 50 | 250 |
| 66261136593 | 66261136593 2 | 120X | 50 | 250 |
| 66261136594 | 66261136594 9 | 100X | 50 | 250 |
| 66261136595 | 66261136595 6 | 80X | 50 | 250 |
| 66261136596 | 66261136596 3 | 60X | 50 | 250 |

| PART NUMBER | UPC-A | GRIT | QTY/ PACK | PACKS/ CASE |
|---|------------------|------|--------------|----------------|
| CLOTH ADHESIVE BACK ALUMINUM OXIDE (R228) - BULK - NON UPC | | | | |
| 8" | | | | |
| 66261136357 | NS 66261136357 0 | 240X | 50 | 250 |
| 66261136355 | 66261136355 6 | 120X | 50 | 250 |
| 66261136354 | 66261136354 9 | 80X | 50 | 250 |
| 66261136576 | 66261136576 5 | 60X | 50 | 250 |
| 66261136352 | 66261136352 5 | 50X | 50 | 250 |
| 66261136351 | 66261136351 8 | 40X | 50 | 250 |
| 66261136350 | 66261136350 1 | 36X | 50 | 250 |
| 9" | | | | |
| 66261125615 | 66261125615 5 | 120X | 25 | 50 |
| 66261125616 | NS 66261125616 2 | 80X | 25 | 50 |
| 10" | | | | |
| 66261136600 | 66261136600 7 | 100X | 25 | 50 |
| 66261136601 | 66261136601 4 | 80X | 25 | 50 |
| 66261136602 | 66261136602 1 | 60X | 25 | 50 |
| 66261136607 | 66261136607 6 | 50X | 25 | 50 |
| 66261136604 | 66261136604 5 | 40X | 25 | 50 |
| 66261136606 | 66261136606 9 | 36X | 25 | 50 |
| 12" | | | | |
| 66261136613 | 66261136613 7 | 120X | 25 | 50 |
| 66261136614 | 66261136614 4 | 100X | 25 | 50 |
| 66261136615 | 66261136615 1 | 80X | 25 | 50 |
| 66261136620 | 66261136620 5 | 60X | 25 | 50 |
| 66261136625 | 66261136625 0 | 50X | 25 | 50 |
| 66261136630 | 66261136630 4 | 40X | 25 | 25 |
| 66261136635 | 66261136635 9 | 36X | 25 | 25 |

NS NON-STOCK ITEM

FLAP DISCS

- metal fabrication
- blending welds
- deburring
- cleaning, stripping, and finishing

NOTE: USE AT 15°-25° ANGLE. MORE SEVERE ANGLES WILL WEAKEN EDGES.

| GRIT | APPLICATION |
|----------------|--|
| Fine (80-180) | For light finishing and sanding of surfaces prior to priming or finishing (painting) |
| Medium (40-60) | For surface blending and moderate removal of wood, metal, light paint, varnish or rust |
| Coarse (24-36) | For rough grinding and heavy removal of coatings, rust or scale on wood, metal or fiberglass |



| FEATURES | BENEFITS |
|--|--|
| ■ grinding and finishing with the same wheel | ■ no switching from a depressed center wheel to fibre disc |
| ■ zirconia alumina abrasive cloth (NorZon) | ■ lasts 20X longer than fibre discs |
| ■ angled flaps | ■ high rate of stock removal |
| ■ phenolic resin backing plate | ■ built-in angle for grinding |
| ■ stacking of abrasive flaps | ■ more abrasive makes contact with the work surface |
| | ■ lightweight |
| | ■ will not smear the workpiece |
| | ■ wears uniformly with flaps |
| | ■ more comfortable to grind with |

| PART NUMBER | UPC-A | GRIT | TYPE | QTY/PACK | PACKS/CASE |
|-------------------------------------|---------------|------|---------|----------|------------|
| 20X FLAP DISCS - HANDY PACKS | | | | | |
| 4" x M-10 Hub (R822) | | | | | |
| 07660703216 | 07660703216 4 | P80 | Type 27 | 1 | 5** |
| 07660703215 | 07660703215 7 | P60 | Type 27 | 1 | 5** |
| 07660703214 | 07660703214 0 | P40 | Type 27 | 1 | 5** |
| 4-1/2" x 5/8"-11 Hub (R822) | | | | | |
| 07660703213 | 07660703213 3 | P80 | Type 29 | 1 | 5** |
| 07660703212 | 07660703212 6 | P60 | Type 29 | 1 | 5** |
| 07660703211 | 07660703211 9 | P40 | Type 29 | 1 | 5** |
| 7" x 5/8"-11 Hub (R822) | | | | | |
| 07660703207 | 07660703207 2 | P80 | Type 27 | 1 | 5** |
| 07660703206 | 07660703206 5 | P60 | Type 27 | 1 | 5** |
| 07660703205 | 07660703205 8 | P40 | Type 27 | 1 | 5** |

| PART NUMBER | UPC-A | GRIT | QTY/PACK | PACKS/CASE |
|--|---------------|-------|----------|------------|
| POWERFLEX FLAP DISCS ZRB - BULK - NON UPC | | | | |
| 4-1/2" x 5/8"-11 Hub (KY672Z) | | | | |
| 66254419997 | 66254419997 0 | 80 | 10 | 10 |
| 66254419996 | 66254419996 3 | 60 | 10 | 10 |
| 66264419994 | 66264419994 9 | 40 | 10 | 10 |
| 4-1/2" x 7/8" (KY672Z) | | | | |
| 08834194360 | 08834194360 6 | P80HD | 10 | 10 |
| 66254419987 | 66254419987 1 | P80 | 10 | 10 |
| 08834190767 | 08834190767 7 | P60HD | 10 | 10 |
| 66254419984 | 66254419984 0 | 60 | 10 | 10 |
| 08834190172 | 08834190172 9 | P40HD | 10 | 10 |
| 66254419978 | 66254419978 9 | 40 | 10 | 10 |
| 66254419963 | 66254419963 5 | 36 | 10 | 10 |
| 5" x 7/8" (KY672Z) | | | | |
| 08834193652 | 08834193652 3 | P80 | 10 | 10 |
| 08834193651 | 08834193651 9 | P60 | 10 | 10 |
| 08834193650 | 08834193650 6 | P40 | 10 | 10 |
| 08834193649 | 08834193649 3 | P36 | 10 | 10 |
| 7" x 5/8"-11 Hub (KY672Z) | | | | |
| 66254420013 | 66254420013 3 | 80 | 10 | 10 |
| 66254420012 | 66254420012 6 | 60 | 10 | 10 |
| 66254420010 | 66254420010 2 | 36 | 10 | 10 |
| 7" x 7/8 (KY672Z) | | | | |
| 08834194362 | 08834194362 0 | P80HD | 10 | 10 |
| 66254420008 | 66254420008 9 | 80 | 10 | 10 |
| 08834194514 | 08834194514 3 | P60HD | 10 | 10 |
| 66254420007 | 66254420007 2 | 60 | 10 | 10 |
| 08834190933 | 08834190933 6 | P40HD | 10 | 10 |
| 66254420006 | 66254420006 5 | 40 | 10 | 10 |
| 66254420004 | 66254420004 1 | 36 | 10 | 10 |
| 08834193725 | 08834193725 4 | 24 | 10 | 10 |

HD = HIGH DENSITY

FIBER DISCS

- paint stripping
- light deburring and finishing
- weld grinding and blending
- heavy metal removal

| GRIT | APPLICATION |
|---------------------|--|
| Very Fine (100) | For very light sanding |
| Fine (80) | For light sanding prior to painting or priming |
| Medium (50) | For moderate removal of surface imperfections |
| Coarse (36) | For heavy removal of coatings and rust |
| Ex. Coarse (16, 24) | For extra heavy removal and stripping |



| PART NUMBER | UPC-A | DESCRIPTION | QTY/ PACK | PACKS/ CASE |
|--|---------------|-------------------------------|--------------|----------------|
| CONVERSION KITS - HANDY PACKS | | | | |
| 4" x 5/8" | | | | |
| 07660701683 | 07660701683 6 | 1 Pad, 2-50 Medium, A/O Fiber | 1 | 5** |
| 4-1/2" x 7/8" | | | | |
| 07660701693 | 07660701693 5 | 1 Pad, 2-50 Medium, A/O Fiber | 1 | 5** |
| 5" x 7/8" | | | | |
| 07660704738 | 07660704738 0 | 1 Pad, 2-50 Medium, A/O Fiber | 1 | 5** |
| 7" x 7/8" | | | | |
| 07660701703 | 07660701703 1 | 1 Pad, 2-50 Medium, A/O Fiber | 1 | 5** |
| PART NUMBER | UPC-A | GRIT | GRADING | STD/ PACK |
| AIR-COOLED RUBBER BACK-UP PADS - BULK - NON UPC | | | | |
| 63642502122 | 63642502122 3 | 4-1/2" | Medium | 5 |
| 63642543421 | 63642543421 4 | 5" | Medium | 5 |
| 63642543425 | 63642543425 2 | 7" | Hard | 5 |
| 63642543422 | 63642543422 1 | 7" | Medium | 5 |
| 63642543426 | 63642543426 9 | 9" | Hard | 5 |
| 63642543423 | 63642543423 8 | 9" | Medium | 5 |



Slotted aluminum hub design, curved ribs on face force heat and all pads have a 5/8"-11 threaded female hub for mounting. Firm pads provide more aggressive cut; medium pads offer greater flexibility.

| PART NUMBER | UPC-A | GRIT | QTY/ PACK | PACKS/ CASE |
|--|---------------|------|--------------|----------------|
| NORTON BLUEFIRE ZIRCONIA ALUMINA FIBER - BULK - NON UPC | | | | |
| 4-1/2" x 7/8" (Norton BlueFire F826) | | | | |
| 66261138452 | 66261138452 0 | 80 | 25 | 25 |
| 66261138453 | 66261138453 7 | 60 | 25 | 25 |
| 66261138454 | 66261138454 4 | 50 | 25 | 25 |
| 66261138456 | 66261138456 8 | 36 | 25 | 25 |
| 66261138457 | 66261138457 5 | 24 | 25 | 25 |
| 5" x 7/8" (Norton BlueFire F826) | | | | |
| 66261138600 | 66261138600 5 | 80 | 25 | 25 |
| 66261138601 | 66261138601 2 | 60 | 25 | 25 |
| 66261138561 | 66261138561 9 | 50 | 25 | 25 |
| 66261138562 | 66261138562 6 | 36 | 25 | 25 |
| 66261138563 | 66261138563 3 | 24 | 25 | 25 |
| 7" x 7/8" (Norton BlueFire F826) | | | | |
| 66261138590 | 66261138590 9 | 80 | 25 | 25 |
| 66261138591 | 66261138591 6 | 60 | 25 | 25 |
| 66261138592 | 66261138592 3 | 50 | 25 | 25 |
| 66261138593 | 66261138593 0 | 36 | 25 | 25 |
| 66261138594 | 66261138594 7 | 24 | 25 | 25 |
| 9-1/8" x 7/8" (Norton BlueFire F826) | | | | |
| 66261138582 | 66261138582 4 | 50 | 25 | 25 |
| 66261138583 | 66261138583 1 | 36 | 25 | 25 |
| 66261138584 | 66261138584 8 | 24 | 25 | 25 |

NOTE: MUST USE BACK-UP PAD

NEW

| PART NUMBER | UPC-A | GRIT | QTY/ PACK | PACKS/ CASE |
|--|-------------|-------|--------------|----------------|
| CERAMIC ALUMINA FIBER - BULK – NON UPC | | | | |
| 4-1/2" x 7/8" (Merit FX965) | | | | |
| 66623365598 | 66623365598 | 3 80 | 25 | 25 |
| 66623355604 | 66623355604 | 4 60 | 25 | 25 |
| 66623355603 | 66623355603 | 7 50 | 25 | 25 |
| 66623355602 | 66623355602 | 0 36 | 25 | 25 |
| 66623355601 | 66623355601 | 3 24 | 25 | 25 |
| 5" x 7/8" (Merit FX965) | | | | |
| 66623366015 | 66623366015 | 4 80 | 25 | 25 |
| 66623355600 | 66623355600 | 6 60 | 25 | 25 |
| 66623355599 | 66623355599 | 3 50 | 25 | 25 |
| 66623355598 | 66623355598 | 6 36 | 25 | 25 |
| 66623355597 | 66623355597 | 9 24 | 25 | 25 |
| 7" x 7/8" (Merit FX965) | | | | |
| 66623365600 | 66623365600 | 3 80 | 25 | 25 |
| 66623355596 | 66623355596 | 2 60 | 25 | 25 |
| 66623355595 | 66623355595 | 5 50 | 25 | 25 |
| 66623355594 | 66623355594 | 8 36 | 25 | 25 |
| 66623355578 | 66623355578 | 8 24 | 25 | 25 |
| ALUMINUM OXIDE FIBER - BULK – NON UPC | | | | |
| 4" x 5/8" (Merit FX370) | | | | |
| NEW 05539510591 | 05539510591 | 5 80 | 25 | 25 |
| NEW 05539510592 | 05539510592 | 2 60 | 25 | 25 |
| NEW 05539510593 | 05539510593 | 9 50 | 25 | 25 |
| NEW 05539510594 | 05539510594 | 6 36 | 25 | 25 |
| NEW 05539510595 | 05539510595 | 3 24 | 25 | 25 |
| 4-1/2" x 7/8" (Merit FX370) | | | | |
| 66623353314 | 66623353314 | 4 120 | 25 | 25 |
| 66623353313 | 66623353313 | 7 100 | 25 | 25 |
| 66623353312 | 66623353312 | 0 80 | 25 | 25 |
| 66623353311 | 66623353311 | 3 60 | 25 | 25 |
| 66623353310 | 66623353310 | 6 50 | 25 | 25 |
| 66623353306 | 66623353306 | 9 36 | 25 | 25 |
| 66623353309 | 66623353309 | 0 24 | 25 | 25 |
| 5" x 7/8" (Merit FX370) | | | | |
| 66623357282 | 66623357282 | 2 120 | 25 | 25 |
| 66623357281 | 66623357281 | 5 100 | 25 | 25 |
| 66623357280 | 66623357280 | 8 80 | 25 | 25 |
| 66623357279 | 66623357279 | 2 60 | 25 | 25 |
| 66623357278 | 66623357278 | 5 50 | 25 | 25 |
| 66623357277 | 66623357277 | 8 36 | 25 | 25 |
| 66623357276 | 66623357276 | 1 24 | 25 | 25 |
| NEW 05539510684 | 05539510684 | 4 16 | 25 | 25 |
| 7" x 7/8" (Merit FX370) | | | | |
| 66623357289 | 66623357289 | 1 120 | 25 | 25 |
| 66623357288 | 66623357288 | 4 100 | 25 | 25 |
| 66623357287 | 66623357287 | 7 80 | 25 | 25 |
| 66623357286 | 66623357286 | 0 60 | 25 | 25 |
| 66623357285 | 66623357285 | 3 50 | 25 | 25 |
| 66623357284 | 66623357284 | 6 36 | 25 | 25 |
| 66623357283 | 66623357283 | 9 24 | 25 | 25 |
| NEW 05539510693 | 05539510693 | 6 16 | 25 | 25 |
| 9-1/8" x 7/8" (Merit FX370) | | | | |
| NEW 05539510695 | 05539510695 | 0 120 | 25 | 25 |
| NEW 05539510699 | 05539510699 | 8 60 | 25 | 25 |
| NEW 05539510701 | 05539510701 | 8 36 | 25 | 25 |
| NEW 05539510702 | 05539510702 | 5 24 | 25 | 25 |
| ALUMINUM OXIDE FIBER - BULK – UPC BAR CODED | | | | |
| 4" x 5/8" (Metalite F226) | | | | |
| 07660704711 | 07660702042 | 0 50 | 1 | 10 |
| 07660704710 | 07660702043 | 7 36 | 1 | 10 |
| 07660704709 | 07660702044 | 4 24 | 1 | 10 |

| PART NUMBER | UPC-A | GRIT | QTY/ PACK | PACKS/ CASE |
|--|-------------|-------|--------------|----------------|
| ALUMINUM OXIDE FIBER - BULK – UPC BAR CODED (CONTINUED) | | | | |
| 4-1/2" x 7/8" (Metalite F226) | | | | |
| 07660702045 | 07660702045 | 1 80 | 1 | 25 |
| 07660704714 | 07660702046 | 8 50 | 1 | 10 |
| 07660704713 | 07660702047 | 5 36 | 1 | 10 |
| 07660704712 | 07660702048 | 2 24 | 1 | 10 |
| 5" x 7/8" (Metalite F226) | | | | |
| 07660705508 | 07660705508 | 8 80 | 1 | 10 |
| 07660704708 | 07660701909 | 7 50 | 1 | 10 |
| 07660704707 | 07660701910 | 3 36 | 1 | 10 |
| 07660704706 | 07660701911 | 0 24 | 1 | 10 |
| 07660701915 | 07660701915 | 8 16 | 1 | 25 |
| 7" x 7/8" (Metalite F226) | | | | |
| 07660704705 | 07660701912 | 7 50 | 1 | 10 |
| 07660704704 | 07660701913 | 4 36 | 1 | 10 |
| 07660704703 | 07660701914 | 1 24 | 1 | 10 |
| 07660701916 | 07660701916 | 5 16 | 1 | 25 |
| 9-1/8" x 7/8" (Metalite F226) | | | | |
| 07660702071 | 07660702071 | 0 50 | 1 | 25 |
| ALUMINUM OXIDE FIBER - BULK – NON UPC | | | | |
| 4" x 5/8" (Metalite F226) | | | | |
| 66261133428 | 66261133428 | 0 120 | 100 | 100 |
| 66261133429 | 66261133429 | 7 100 | 100 | 100 |
| 66261133430 | 66261133430 | 3 80 | 100 | 100 |
| 66261133431 | 66261133431 | 0 60 | 100 | 100 |
| 66261133432 | 66261133432 | 7 50 | 100 | 100 |
| 66261133433 | 66261133433 | 4 36 | 100 | 100 |
| 66261133434 | 66261133434 | 1 24 | 100 | 100 |
| 4-1/2" x 7/8" (Metalite F226) | | | | |
| 66261133507 | 66261133507 | 2 120 | 25 | 25 |
| 66261133509 | 66261133509 | 6 100 | 25 | 25 |
| 66261133511 | 66261133511 | 9 80 | 25 | 25 |
| 66261133513 | 66261133513 | 3 60 | 25 | 25 |
| 66261133515 | 66261133515 | 7 50 | 25 | 25 |
| 66261133517 | 66261133517 | 1 36 | 25 | 25 |
| 66261133519 | 66261133519 | 5 24 | 25 | 25 |
| 5" x 7/8" (Metalite F226) | | | | |
| 66261133585 | 66261133585 | 0 120 | 25 | 25 |
| 66261133590 | 66261133590 | 4 100 | 25 | 25 |
| 66261133595 | 66261133595 | 9 80 | 25 | 25 |
| 66261133600 | 66261133600 | 0 60 | 25 | 25 |
| 66261133605 | 66261133605 | 5 50 | 25 | 25 |
| 66261133610 | 66261133610 | 9 36 | 25 | 25 |
| 66261133615 | 66261133615 | 4 24 | 25 | 25 |
| 66261133617 | 66261133617 | 8 16 | 25 | 25 |
| 7" x 7/8" (Metalite F226) | | | | |
| 66261133725 | 66261133725 | 0 120 | 25 | 25 |
| 66261133730 | 66261133730 | 4 100 | 25 | 25 |
| 66261133735 | 66261133735 | 9 80 | 25 | 25 |
| 66261133740 | 66261133740 | 3 60 | 25 | 25 |
| 66261133745 | 66261133745 | 8 50 | 25 | 25 |
| 66261133750 | 66261133750 | 2 36 | 25 | 25 |
| 66261133755 | 66261133755 | 7 24 | 25 | 25 |
| 66261133760 | 66261133760 | 1 16 | 25 | 25 |
| 9-1/8" x 7/8" (Metalite F226) | | | | |
| 66261133855 | 66261133855 | 4 120 | 25 | 25 |
| 66261133860 | 66261133860 | 8 100 | 25 | 25 |
| 66261133865 | 66261133865 | 3 80 | 25 | 25 |
| 66261133870 | 66261133870 | 7 60 | 25 | 25 |
| 66261133875 | 66261133875 | 2 50 | 25 | 25 |
| 66261133880 | 66261133880 | 6 36 | 25 | 25 |
| 66261133885 | 66261133885 | 1 24 | 25 | 25 |
| 66261133890 | 66261133890 | 5 16 | 25 | 25 |

RAPID STRIP

- removing paint, rust and coatings without smearing
- removing light edge burrs, parting lines or flashing



NON-WOVEN

| FEATURES | BENEFITS |
|---|--|
| <ul style="list-style-type: none"> ■ unique, semi-flexible open web design | <ul style="list-style-type: none"> ■ resists loading ■ conforms to edges, contours and uneven surfaces without gouging ■ runs quietly and safely ■ use face and edge |
| <ul style="list-style-type: none"> ■ extra coarse abrasive uniformly distributed and bonded throughout the wheel | <ul style="list-style-type: none"> ■ aggressive free cutting action for removing paint, rust and coatings without smearing ■ removing light edge burrs, parting lines or flashing |

WIRE

| FEATURES | BENEFITS |
|--|---|
| <ul style="list-style-type: none"> ■ reversible hex-mandrel shaft | <ul style="list-style-type: none"> ■ eliminates slippage and provides easy reversal of the unit |
| <ul style="list-style-type: none"> ■ low heat & pressure operation | <ul style="list-style-type: none"> ■ prevents distortion to the workpiece |
| <ul style="list-style-type: none"> ■ high speed chiselling action | <ul style="list-style-type: none"> ■ strips and cleans substrate in one step |
| <ul style="list-style-type: none"> ■ secured metal strands in patented, flexible brush system | <ul style="list-style-type: none"> ■ no wire splinters ■ no tearing of edges ■ self-sharpening |

| PART NUMBER | UPC-A | GRADING | QTY/PACK | PACKS/CASE |
|--|---------------|---------|----------|------------|
| NON-WOVEN - DRILL MOUNT - HANDY PACKS | | | | |
| 4" x 1/2" – Paint Dept. | | | | |
| 07660702536 | 07660701659 1 | Coarse | 1 | 5** |
| 4" x 1/2" – Power Tool Dept. | | | | |
| 07660701217 | 07660701217 3 | Coarse | 1 | 10** |
| 4" x 1" – Power Tool Dept. | | | | |
| 07660705466 | 07660701220 3 | Coarse | 1 | 5** |

| PART NUMBER | UPC-A | GRADING | QTY/PACK | PACKS/CASE |
|---|---------------|---------|----------|------------|
| NON-WOVEN - DEPRESSED CENTER - HANDY PACKS | | | | |
| 4-1/2" x 5/8"-11 Hub | | | | |
| 07660704015 | 07660704015 2 | Coarse | 1 | 5** |
| 7" x 5/8"-11 Hub | | | | |
| 07660704013 | 07660704013 8 | Coarse | 1 | 5** |
| WIRE BRUSH - DRILL MOUNT - HANDY PACKS | | | | |
| 4" | | | | |
| 07660702253 | 07660701123 7 | Wire | 1 | 4** |

SPIRABANDS

- sanding and shaping small contours
- finishing and blending shapes

| PART NUMBER | UPC-A | GRIT | GRADING | QTY/PACK | PACKS/CASE |
|------------------------------------|---------------|------|---------|----------|------------|
| 3X SPIRABANDS - HANDY PACKS | | | | | |
| 3/4" x 3/4" (H822, H875) | | | | | |
| 07660703888 | 07660703888 3 | 120 | Fine | 4 | 10 |
| 07660703887 | 07660703887 6 | 80 | Medium | 4 | 10 |
| 07660703886 | 07660703886 9 | 60 | Coarse | 4 | 10 |
| 07660703889 | 07660703889 0 | Drum | | 1 | 10 |
| 1" x 1" (H822, H875) | | | | | |
| 07660703892 | 07660703892 3 | 150 | Fine | 3 | 10 |
| 07660703891 | 07660703891 0 | 100 | Medium | 3 | 10 |
| 07660703890 | 07660703890 7 | 60 | Coarse | 3 | 10 |
| 07660703893 | 07660703893 6 | Drum | | 1 | 10 |
| 2" x 2" (H822, H875) | | | | | |
| 07660703896 | 07660703896 8 | 150 | Fine | 2 | 5 |
| 07660703895 | 07660703895 1 | 100 | Medium | 2 | 5 |
| 07660703894 | 07660703894 4 | 60 | Coarse | 2 | 5 |
| 07660703897 | 07660703897 5 | Drum | | 1 | 5 |



QUICK CHANGE DISCS

The tool-free, twist-on and off fastening systems make fast work of disc changes to maximize productivity by minimizing downtime.

Fiber

- weld grinding
- metal removal

Non-Woven

- removing surface defects
- blending mill marks, tool marks and uneven finishes

Type TR (Type III)

- Features a roll-on/roll-off style fastener
- Fastener is made of plastic
- Equivalent to 3M™ Roloc™ fastening system



| PART NUMBER | UPC-A | GRIT | GRADING | QTY/ PACK | PACKS/ CASE |
|----------------------------------|-------------|-------|---------|--------------|----------------|
| FIBER - HANDY PACKS | | | | | |
| 2" TR Speed-Lok (F244) | | | | | |
| 07660702399 | 07660702399 | 5 120 | Fine | 5 | 10** |
| 07660702400 | 07660702400 | 8 50 | Medium | 5 | 10** |
| 07660702401 | 07660702401 | 5 24 | Coarse | 5 | 10** |
| BACKUP PADS - HANDY PACKS | | | | | |
| 2" Drill Mount Backup Pad | | | | | |
| 07660702395 | 07660702395 | 7 | | 1 | 10** |
| 3" Drill Mount Backup Pad | | | | | |
| 07660702388 | 07660702388 | 9 | | 1 | 10** |

| PART NUMBER | UPC-A | GRIT | QTY/ PACK | PACKS/ CASE |
|--------------------------------|-------------|-------|--------------|----------------|
| NON-WOVEN - HANDY PACKS | | | | |
| 2" TR Speed-Lok | | | | |
| 07660702396 | 07660702396 | 4 320 | 5 | 10** |
| 07660702397 | 07660702397 | 1 120 | 5 | 10** |
| 07660702398 | 07660702398 | 8 80 | 5 | 10** |
| 3" TR Speed-Lok | | | | |
| 07660702389 | 07660702389 | 2 320 | 5 | 10** |
| 07660702390 | 07660702390 | 6 120 | 5 | 10** |
| 07660702391 | 07660702391 | 9 80 | 5 | 10** |

SURFACE FINISHING DISCS

Very long lasting on high pressure applications. Closed structure. Tough, reinforced nylon web eliminates edge fraying and grain shredding. Hook & Loop backing for quick disc changes. From removing surface defects to heavy deburring of aluminum and steel.



| PART NUMBER | UPC-A | GRADING | QTY/ PACK | PACKS/ CASE |
|-------------------------|-------------|-------------|--------------|----------------|
| NON-WOVEN - BULK | | | | |
| 5" Blank | | | | |
| 66261004455 | 66261004455 | 5 Very Fine | 40 | 40 |
| 66261004445 | 66261004445 | 6 Medium | 40 | 40 |
| 66261004435 | 66261004435 | 7 Coarse | 40 | 40 |
| 6" Blank | | | | |
| 66261006912 | 66261006912 | 1 Very Fine | 30 | 30 |
| 66261006911 | 66261006911 | 4 Medium | 30 | 30 |
| 66261006910 | 66261006910 | 7 Coarse | 30 | 30 |

| PART NUMBER | UPC-A | GRADING | QTY/ PACK | PACKS/ CASE |
|-------------------------|-------------|-------------|--------------|----------------|
| NON-WOVEN - BULK | | | | |
| 7" Blank | | | | |
| 66261004456 | 66261004456 | 2 Very Fine | 25 | 25 |
| 66261004446 | 66261004446 | 3 Medium | 25 | 25 |
| 66261004436 | 66261004436 | 4 Coarse | 25 | 25 |
| 8" Blank | | | | |
| 66261006915 | 66261006915 | 2 Very Fine | 20 | 20 |
| 66261006914 | 66261006914 | 5 Medium | 20 | 20 |
| 66261006913 | 66261006913 | 8 Coarse | 20 | 20 |

**PACKAGED IN CONVENIENT DISPLAY CASE FORMAT. NO INNER MINIMUM PACKAGE.



A975 DISCS AND ROLLS

Dry Ice is perfect for refinishing any job, especially those that require an extremely durable abrasive that cuts quicker, cuts cooler, and lasts longer without generating heat.


Also available in Multi-Air configuration.

| FEATURES | BENEFITS |
|---|--|
| <ul style="list-style-type: none"> Patented Norton SG ceramic grain | <ul style="list-style-type: none"> Superior cut on abrasion-resistant paints and clears Quicker/cooler cut with better longevity |
| <ul style="list-style-type: none"> Unique fibre-reinforced latex/paper backing | <ul style="list-style-type: none"> Flexible and easy removal with maximum tear resistance Increased durability |
| <ul style="list-style-type: none"> Water-based stearate (No-Fil) | <ul style="list-style-type: none"> Improves load resistance Extends life |

MATERIAL/APPLICATION-TO-PRODUCT RECOMMENDATION GUIDE

| | BEST Highest Productivity. Lowest Total Cost. | | BETTER Excellent Blend of Performance & Price. | | GOOD Consistent Performance. Low Initial Price. | |
|-------------------------------------|--|-------------------------------|---|-------------------------------|--|-------------------------------|
| | Heavy-Medium Stock Removal | Light Stock Removal-Finishing | Heavy-Medium Stock Removal | Light Stock Removal-Finishing | Heavy-Medium Stock Removal | Light Stock Removal-Finishing |
| Primed, Painted Surfaces | | A975 | H875P | A275 | H290 | PB273 |
| Fiberglass / Composites / Gel Coats | | A975 | H875P | A275 | H290 | PB273 |
| Wood | | A975 | H875P | A275 | H290 | PB273 |
| Metal | H920 | A975 | H822 | A275 | H290 | PB273 |
| Body Fillers / Compounds / Plastics | | A975 | H875P | A275 | H290 | PB273 |

APPLICATION/GRIT RECOMMENDATION GUIDE



CROSS REFERENCE GUIDE



| NORTON | BEST | | BETTER | | | | | GOOD | | |
|-----------|----------------------|---------------------------|---------------------|------------------------|------------------------------|-------------------|------------------------------|-------------------|--------------------------|--------------------|
| | F-Wt. Norton SG H920 | B- & C-Wt. Norton SG A975 | F-Wt. BlueFire H822 | E-Wt. BlueFire H875P | B-Wt. Adalox A275 | B-Wt. Adalox A270 | B-Wt. Durite A475 | E-Wt. Adalox H290 | C-Wt. Adalox A290 | B-Wt. Merit PB273 |
| 3M | 763U, 7511 | 734U, 735U, 765L | - | 750U, 751U, 740I, 745I | 216U, 255L, 260L, 334U | 210U, 268L, 360L | 414N, 415N, 405N, 415U, 435U | 363I | 236U | 214U, 316U Red. NX |
| Hermes | CB115 | - | BW 115 | - | VC154-LL | VC152 | PSF-LL, SF168 | VC152 | HCAB-LL, HC135, VC151-LL | - |
| Indasa | - | - | - | - | RedLine | - | - | - | - | WhiteLine |
| Klingspor | - | PS36 | PS20, PS21, PS22 | - | PS33 | - | PL35 | - | PS33 | PL36 |
| Mirka | - | - | - | Royal Coarse Cut | Q-Silver, Royal, Royal Micro | Silver | CaratFlex, PolarStar | - | Bulldog Gold, Basecut | Carat (B), Basecut |
| SIA | - | 1950 | 1820, 1919 | 1820, 1919 | 1940, 1950 | - | 1748 | - | 1947 | - |
| VSM | - | - | - | KP510E, KP709 | MPG | - | CP131A | - | KP911 | MP10 |

FEATURED PRODUCTS

**NORTON SG H920**


BEST CHOICE FOR MORE DEMANDING STOCK REMOVAL APPLICATIONS

FEATURES

- Patented Norton SG ceramic alumina abrasive
- Strong, heavy F-wt. paper, synthetically-coated

BENEFITS

- Maximum life; fast aggressive cutting action, yet cool cutting
- Maximum durability and chip resistance, ideal for soldered and welded areas, and unpainted metal applications



EXPANDED

NO-FIL NORTON DRYICE A975

BEST CHOICE FOR THE MOST DEMANDING SANDING APPLICATIONS

FEATURES

- Patented P-graded Norton SG ceramic alumina abrasive
- Unique fiber-reinforced, flexible B- and C-wt. latex-saturated backing
- Water-based No-Fil stearate, non-pigmented

BENEFITS

- Fastest cut rate; longest life of any paper disc
- 50-60% improvement in tear strength, longer life in all applications
- Flexible; can be used wet
- Provides maximum load resistance and extended life; no color transfer



IMPROVED

NORTON BLUEFIRE H875P

BETTER CHOICE FOR SOFT MATERIAL APPLICATIONS

FEATURES

- Patented zirconia alumina abrasive
- Strong, heavy, E-wt. paper
- Open coat design

BENEFITS

- Extended life over original zirconia alumina products
- Improved cut rate
- Increased durability and chip resistance, flexible
- Reduced loading; ideal for body-filler, fiberglass and composites

**NO-FIL NORTON ADALOX A275**

BETTER CHOICE FOR HIGH-PERFORMANCE DRY FINISHING ON ALL MATERIALS

FEATURES

- Premium P-graded, heat-treated aluminum oxide abrasive
- Unique fiber-reinforced, flexible B-wt. latex-saturated backing
- Water-based stearate, non-pigmented, No-Fil coating
- 5" and 6" individual PSA discs in fine grits have a tabbed, white translucent liner

BENEFITS

- Superior life, fast cut rate, consistent finish
- 50-60% improvement in tear strength
- Flexible; can be used wet
- Provides maximum load resistance and extended life; no color transfer to work
- The PSA adhesive is protected from air-borne contaminants
- The tab allows easier removal of the paper liner

**NO-FIL NORTON DURITE A475**


BETTER CHOICE FOR HARD-TO-SAND SURFACES AND WOOD APPLICATIONS

FEATURES

- P-graded, hard, silicon carbide abrasive
- Water-based stearate, non-pigmented, No-Fil coating
- Durable, fiber-reinforced, B-wt. latex paper

BENEFITS

- Easy penetration of the hardest surfaces
- Resists loading for the longest usable product life; no color transfer to work
- Provides flexibility and resistance to tearing



EXPANDED

MERIT NO-LOAD PB273

GOOD CHOICE FOR SANDING PAINT, PRIMER, PLASTICS, FIBERGLASS, AND WHITEWOOD AT A LOW INITIAL PRICE

FEATURES

- P-graded, aluminum oxide abrasive
- Flexible latex B-wt. backing, with a full resin bond and open coat
- Water-based stearate, non-pigmented, No-Fil coating

BENEFITS

- Fast cutting action and extended life with consistent finish
- Improved resistance to delamination; no delamination to back-up pad
- Can be used moist or wet
- Provides improved load resistance
- No color transfer to work

AVAILABILITY STICK AND SAND (PSA) DISC ROLLS NON-VACUUM



| | | | | | |
|-----------------------|--------------------|--------------------|--------------------|--------------------|----------------------|
| TIER: | BEST | BETTER | BETTER | GOOD | GOOD |
| BRAND: | Norton | Norton | Norton | Norton | Merit |
| CAP CODE: | A975 NO-FIL | A275 NO-FIL | A475 NO-FIL | A290 NO-FIL | PB273 NO-LOAD |
| ABRASIVE: | Ceramic Alumina | Aluminum Oxide | Silicon Carbide | Aluminum Oxide | Aluminum Oxide |
| PAPER BACKING WEIGHT: | B- & C-Weight | B-Weight | B-Weight | C-Weight | B-Weight |
| OTHER: | P-Graded | P-Graded | P-Graded | P-Graded | P-Graded |

| SIZE | GRIT | ROLLS/ STD. PKG. | DISCS/ ROLL | PART NO. | PART NO. | PART NO. | PART NO. | PART NO. |
|-------|--------------|---------------------|----------------|--------------|--------------|-------------|-------------|-------------|
| 3-1/2 | 80 | 4 | 100 | | 66261136376 | | | |
| | 120 | | | 66261136375 | | | | |
| | 180 | | | 66261136373 | | | | |
| | 220 | | | 66261136372 | | | | |
| | 320 | | | 66261136369 | | | | |
| | 400 | | | 66261136368 | | | | |
| 5 | 60 | 4 | 100 | | 66261131464* | 66254487415 | 66261149831 | |
| | 80 | | | 66261140502 | 66261131463* | 66254487417 | 66261149830 | 66623362930 |
| | 100 | | | 66261140501 | 66261131462* | 66254487418 | 66261149829 | |
| | 120 | | | 66261140500 | 66261131461* | 66254487440 | 66261149828 | 66623362929 |
| | 150 | | | 66261140499 | 66261131460* | 66254487441 | 66261149827 | 66623362928 |
| | 180 | | | 66261140498 | 66261131459* | 66254487442 | 66261149826 | 66623362927 |
| | 220 | | | 66261142474 | 66261131458* | 66254487443 | 66261149825 | 66623362926 |
| | 240 | | | 66261155380 | 66261131457* | | 66261149824 | 66623362925 |
| | 280 | | | 66261155379 | 66261131456* | 66254487444 | 66261149823 | |
| | 320 | | | 66261155378 | 66261131454* | 66261065293 | 66261149822 | 66623362924 |
| | 400 | | | 66261155377 | 66261131453* | | 66261149821 | 66623362923 |
| | 500 | | | 66254480231 | | | | |
| | 600 | | | 66623305608 | | | | 66623362922 |
| | 800 | | | 66254480230 | | | 66254401221 | 66623362921 |
| 6 | 60 | 4 | 100 | | 66261131481* | 66254487446 | 66261149847 | |
| | 80 | | | 66261140512 | 66261131480* | 66261149842 | 66623362940 | |
| | 100 | | | 66261140511 | 66261131479* | 66261149841 | 69957352447 | |
| | 120 | | | 66261140510 | 66261131478* | 66254487447 | 66261149840 | 66623362939 |
| | 150 | | | 66261140509 | 66261131477* | 66261149839 | 66261149838 | 66623362938 |
| | 180 | | | 66261140508 | 66261131476* | 66254487448 | 66261149837 | 66623362937 |
| | 220 | | | 66261148340 | 66261131475* | 66254487449 | 66261149836 | 66623362936 |
| | 240 | | | 66261155376 | 66261131474* | | 66261149835 | 66623362935 |
| | 280 | | | 66261155375 | 66261131473* | 66254487450 | 66261149834 | 66623362934 |
| | 320 | | | 66261155374 | 66261141198* | | | |
| | 360 | | | | 66261131471* | | 66261149833 | 66623362933 |
| | 400 | | | 66261155373 | 66261131470* | | | |
| | 500 | | | 63642506198* | 66261131469* | | | |
| | 600 | | | 63642506199* | 66261131468* | | | 66623362932 |
| 800 | 63642506200* | | | | 66623362931 | | | |
| 8 | 80 | 4 | 100 | | 66261131617 | | | |
| | 120 | | | 66261131615 | | | | |
| | 150 | | | 66261131614 | | | | |
| | 180 | | | 66261131613 | | | | |
| | 220 | | | 66261131612 | | | | |
| | 320 | | | 66261131609 | | | | |

* PACKAGING STANDARDS A975, A275 = 6/100



PSA Disc Roll Dispenser

- Norton disc roll dispensers feature heavy-duty construction and a rubberized finish to protect your product, as well as the finish on your workpiece
- These versatile dispensers are designed to accommodate any 5" or 6" disc roll or sheet roll
- They can be attached to a wall or stacked for multi-grit or multi-diameter operations
- Discs are individually dispensed and removed from the roll by a cutter bar

| DESCRIPTION | STD. PKG. | PART NO |
|------------------------------------|-----------|-------------|
| PSA Disc Roll Dispenser | | |
| Single Disc Roll Dispenser | 1 | 63642542772 |
| Double Disc Roll Dispenser (shown) | 1 | 63642502981 |

**AVAILABILITY
STICK AND SAND (PSA)
DISC ROLLS
NON-VACUUM**



TIER:

BEST

BETTER

BETTER

BRAND:

Norton

Norton

Norton

CAP CODE:

H920

H822

H875P

ABRASIVE:

Ceramic Alumina

Zirconia Alumina

Zirconia Alumina

PAPER BACKING WEIGHT:

F-Weight

F-Weight

E-Weight

| SIZE | GRIT | ROLLS/STD. PKG. | DISCS/ ROLL | PART NO. | PART NO. | PART NO. |
|------|------|-----------------|-------------|-------------|-------------|-------------|
| 5 | 60 | 4 | 100 | 66261149873 | 66261137310 | |
| | 80 | | | 66261149872 | 66261137309 | 66261124977 |
| | 100 | | | 66261149871 | 66261137308 | 66261125597 |
| | 120 | | | 66261149870 | 66261137307 | |
| | 150 | | | | 66261137306 | |
| 6 | 60 | 4 | 100 | 66261149876 | 66261137323 | |
| | 80 | | | 66261149874 | 66261137322 | 66261125573 |
| | 120 | | | | | |
| 8 | 100 | 4 | 50 | 66261149879 | | |
| | 120 | | | | 66261137333 | |

**AVAILABILITY
STICK AND SAND (PSA)
DISC ROLLS – VACUUM**



TIER:

BETTER



GOOD

BRAND:

Norton

Norton

CAP CODE:

A275 NO-FIL

A290 NO-FIL

ABRASIVE:

Aluminum Oxide

Aluminum Oxide

PAPER BACKING WEIGHT:





B-Weight

C-Weight

OTHER:

P-Graded


P-Graded

| SIZE | GRIT | ROLLS/STD. PKG. | DISCS/ROLL | PART NO. | ROLLS/STD. PKG. | DISCS/ROLL | PART NO. |
|------|------|-----------------|------------|--|-----------------|------------|--|
| | | | |  5 IN. X 5 HOLE DIE #3329 | | |  5 IN. X 5 HOLE DIE #3329 |
| 5 | 60 | 6 | 100 | | 4 | 100 | 66261130266 |
| | 80 | | | 66261131498 | | | 66261130265 |
| | 100 | | | 66261131497 | | | 66261130264 |
| | 120 | | | 66261131496 | | | 66261130263 |
| | 150 | | | 66261131495 | | | 66261130262 |
| | 180 | | | 66261131494 | | | 66261130261 |
| | 220 | | | 66261131493 | | | 66261130260 |
| | 240 | | | 66261131492 | | | 66261130259 |
| | 320 | | | 66261131490 | | | 66261130258 |
| | 400 | | | 66261131488 | | | |
| | 500 | | | 66261131487 | | | |
| | | | |  6 IN. X 6 HOLE DIE #3333 | | |  6 IN. X 6 HOLE DIE #3333 |
| 6 | 80 | 6 | 100 | 66261131515 | 4 | 100 | 66261130276 |
| | 100 | | | 66261131514 | | | 66261130275 |
| | 120 | | | 66261131513 | | | 66261130274 |
| | 150 | | | 66261131512 | | | 66261130273 |
| | 180 | | | 66261131511 | | | 66261130272 |
| | 220 | | | 66261131510 | | | 66261130271 |
| | 240 | | | 66261131509 | | | |
| | 280 | | | 66261131508 | | | |
| | 320 | | | 66261131507 | | | |
| | 400 | | | 66261131505 | | | 66261130268 |
| | 600 | | | 66261131503 | | | |











Refer to the end of this section for back-up pads and accessories.

DISCS


AVAILABILITY HOOK AND LOOP VACUUM



| | | | | | | |
|-----------------------|--------------------|------------------|--------------------|--------------------|--------------------|----------------------|
| TIER: | BEST | BETTER | BETTER | GOOD | GOOD | GOOD |
| BRAND: | Norton | Norton | Norton | Norton | Norton | Merit |
| CAP CODE: | A975 NO-FIL | H875P | A275 NO-FIL | A290 NO-FIL | A290 NO-FIL | PB273 NO-LOAD |
| ABRASIVE: | Ceramic Alumina | Zirconia Alumina | Aluminum Oxide | Aluminum Oxide | Aluminum Oxide | Aluminum Oxide |
| PAPER BACKING WEIGHT: | B- & C-Weight | E-Weight | B-Weight | C-Weight | C-Weight | B-Weight |
| OTHER: | P-Graded | | P-Graded | P-Graded | P-Graded | P-Graded |


| SIZE | GRIT | MIN./ STD PKG. | PART NO. | PART NO. | PART NO. | PART NO. | PART NO. | PART NO. |
|------|------|-------------------|---|-------------|---|--|---|---|
| | | |  | |  |  |  |  |
| | | | 5 IN. X 5 HOLE DIE #3328 | | 5 IN. X 5 HOLE DIE #3328 | 5 IN. X 5 HOLE DIE #3328 | 5 IN. X 8 HOLE DIE #3392 | 5 IN. X 8 HOLE DIE #3392 |
| 5 | 60 | 100/400 | 66261140517‡ | | 66261131583 | 66261130236‡ | 66261130245‡ | 66623366071 |
| | 80 | | | | 66261131582 | 66261130235‡ | 66261130244‡ | |
| | 100 | | | | 66261131581 | 66261130234‡ | 66261130243‡ | |
| | 120 | | 66261140515‡ | | 66261131580 | 66261130233‡ | 66261130242‡ | 66623369778 |
| | 150 | | | | 66261131579 | 66261130232‡ | 66261130241‡ | 66623366073 |
| | 180 | | | | 66261131578 | 66261130231‡ | 66261130240‡ | 66623366074 |
| | 220 | | | | 66261131577 | 66261130230‡ | 66261130239‡ | 66623366075 |
| | 240 | | | | | | | |
| | 280 | | | | | | | |
| | 320 | | | | 66261131575 | 66261130227‡ | 66261130238‡ | 66623366077 |
| | 400 | | | | 66261131573 | 66261130226‡ | | |
| | 600 | | | | 66261131571 | | | |
| | | |  | |  |  | |  |
| | | | 6 IN. X 6 HOLE DIE #3371 | | 6 IN. X 6 HOLE DIE #3371 | 6 IN. X 6 HOLE DIE #3371 | | 6 IN. X 6 HOLE DIE #3371 |
| 6 | 80 | 100/400 | 66261140527‡ | | 66261131600 | 66261130255‡ | | 66623367394 |
| | 100 | | | | 66261131599 | | | |
| | 120 | | | | 66261131598 | 66261130253‡ | | |
| | 150 | | | | 66261131597 | | | 66623367397 |
| | 180 | | | | 66261131596 | 66261130251‡ | | 66623367398 |
| | 220 | | | | 66261131595 | 66261130250‡ | | 66623367399 |
| | 280 | | | | 66261131593 | | | |
| | 320 | | 66261149553‡ | | 66261131592 | | | 66623367400 |
| | 400 | | | | 66261131590 | | | 66623367401 |
| | 600 | | | | 66261131588 | | | |
| | 800 | | | | 66261131587 | | | |
| | 1000 | | | | 66261131586 | | | |
| | 1200 | | | | 66261131585 | | | |
| | 1500 | | | | 66261131584 | | | |
| | | |  | | | | | |
| | | | 8 IN. X 8 HOLE DIE #3370 | | | | | |
| 8 | 36 | 25/100 | | 66261123598 | | | | |
| | 80 | | | 66261123596 | | | | |

PACKAGING STANDARDS: ‡ A975, A975 VACUUM, A290 VACUUM = 50/200



For Fein/Festo Sanders

High-performance abrasives for high performance sanders. Now available: Norton SG A975 discs with center vacuum hole for Fein and Festo random orbital sanders.



6 IN. X 9 HOLE
DIE #3408-2

| | |
|-----------------------|--------------------|
| TIER: | BEST |
| BRAND: | Norton |
| CAP CODE: | A975 NO-FIL |
| ABRASIVE: | Ceramic Alumina |
| PAPER BACKING WEIGHT: | B- & C-Weight |
| OTHER: | P-Graded |




| SIZE | GRIT | STD. PKG. | PART NO. |
|------|------|-----------|-------------|
| 6 | 80 | 50/200 | 07660705489 |
| | 100 | | 07660705488 |
| | 120 | | 07660705487 |
| | 150 | | 07660705486 |
| | 220 | | 07660705484 |

DISCS

AVAILABILITY INDIVIDUAL STICK AND SAND (PSA) DISCS



| | | | | | |
|-----------------------|------------------|------------------|--------------------|----------------|----------------------|
| TIER: | BETTER | BETTER | BETTER | GOOD | GOOD |
| BRAND: | Norton | Norton | Norton | Norton | Merit |
| CAP CODE: | H875P | H875P | A275 NO-FIL | H290 | PB273 NO-LOAD |
| ABRASIVE: | Zirconia Alumina | Zirconia Alumina | Aluminum Oxide | Aluminum Oxide | Aluminum Oxide |
| PAPER BACKING WEIGHT: | E-Weight | E-Weight | B-Weight | F-Weight | B-Weight |
| FASTENING: | PSA | PSA Vacuum | PSA Tabbed | PSA | PSA Tabbed |
| OTHER: | | | P-Graded | P-Graded | P-Graded |

| SIZE | GRIT | MIN./ STD PKG. | PART NO. | PART NO. | PART NO. | PART NO. | PART NO. |
|------|--|---------------------------|---|---|----------|----------------------------|--|
| | | | |  5" X 5 HOLE DIE #3328 | | | |
| 5 | 36 40 80 100 120 150 180 220 240 320 400 600 800 1000 1200 | 50/200 100/400 | 66261125436 66261125307 66261125244 | 66261124919 | | | 69957348198‡ 69957348200 69957348201 69957348202 69957348203 69957348204 69957348205 69957348206 69957348207 69957348223 69957348224 |
| | | | |  6" X 6 HOLE DIE #3371 | | | |
| 6 | 36 40 80 1000 1200 1500 | 50/200 100/400 | 66261123575 66261123574 66261123573 | 66261123580 | | 66261131450 66261131449 | 66261130834‡ 66261130833‡ 66261130832‡ |
| | | | |  8" X 8 HOLE DIE #3370 | | | |
| 8 | 36 40 80 | 25/100 | 66261123578 66261123577 66261123576 | 66261123584 66261123582 | | | 66261130827• 66261130826• |

PACKAGING STANDARDS:
 MIN. / STD. PKG.
 • H290 = 50/200
 ‡ H290 AND PB273 = 100/400

Refer to the end of this section for back-up pads and accessories.

FEATURED PRODUCTS



MULTI-AIR HOOK AND LOOP VACUUM
LESS DUST; MORE PRODUCTIVITY

FEATURES

- Revolutionary design for maximum vacuum assist
- Cutting surface of disc remains clean
- Highly-engineered back-up pad
- Unique SoftTouch discs on durable foam in fine grits

BENEFITS

- 30% increase in dust extraction; clogging is virtually eliminated
- Cleaner working environment; less dust and contamination
- 35% increase in productivity versus traditional vacuum systems
- No clogging; consistent cut throughout the life of the disc
- Revolutionary style for maximum dust extraction
- Sand over contours without cutting through
- Color-coded by grit size for easy identification

AVAILABILITY
HOOK AND LOOP
VACUUM



| | | | |
|-----------|-----------------|------------------|-----------------------|
| TIER: | BEST | BEST | BETTER |
| BRAND: | Norton | Norton | Norton |
| CAP CODE: | A975 | H835 | A275 SOFTTOUCH |
| ABRASIVE: | Ceramic Alumina | Zirconia Alumina | Aluminum Oxide |
| OTHER: | P-Graded | | P-Graded |

| SIZE | GRIT | MIN./ STD PKG. | PART NO. | PART NO. | PART NO. |
|-----------|------|----------------|--------------|-------------|----------|
| 5 x 11/16 | 80 | 100/400 | 63642563535 | | |
| | 120 | | 63642563536 | | |
| | 150 | | 63642563537 | | |
| | 180 | | 63642563538 | | |
| | 220 | | 63642563539 | | |
| | 320 | | 63642563542 | | |
| | 400 | | 63642563543 | | |
| | 500 | | 66623327202 | | |
| | 600 | | 66623327203 | | |
| | 800 | | 66623327204 | | |
| 6 x 11/16 | 80 | 50/200 | 63642506243 | 66261181412 | |
| | 80 | 100/400 | | | |
| | 120 | | 63642506244* | | |
| | 150 | | 63642506245* | | |
| | 180 | | 63642506246* | | |
| | 220 | | 63642506247* | | |
| | 240 | | 63642506248* | | |
| | 280 | | | | |
| | 320 | | 63642506250* | | |
| | 360 | | | | |
| | 400 | | 63642506251* | | |
| | 500 | | 63642506252* | | |
| | 600 | | 63642506253* | | |
| | 800 | | 63642506254* | | |
| | 800 | 20/80 | | | |
| 1000 | | 63642506378 | 63642560578 | | |
| 1500 | | | 63642560579 | | |


*A975 6" DISCS: MIN./STD. PKG. - 50/200



Multi-Air Foam Interface Pads

- Allow sanding of contours and improve surface finish.
- Use with fine grit hook and loop Multi-Air sanding discs.
- Use with Multi-Air back-up pads.
- Not for use with Multi-Air SoftTouch discs.

| DESCRIPTION | STD. PKG. | PART NO. |
|---------------------------------|-----------|-------------|
| Multi-Air Interface Pads | | |
| 5" Pad | 16 | 63642585864 |
| 6" Pad | 12 | 07660719359 |
| 8" Pad | 10 | 07660782019 |



Low-Profile Pads for Dual Action / Random Orbital Sanders

- Soft density low-profile pads utilize 1/2" thick foam for fine finish sanding and offer moderate conformability.
- Medium low-profile pads have 1/2" thick urethane foam for intermediate and finish sanding.
- Firm density low-profile pads utilize 1/4" thick urethane foam for flash and seam removal.
- Available with PSA or hook and loop faces. Both designs are shock resistant and have a fiberglass backing plate with a riveted 5/16"-24 threaded shank for added strength and increased heat resistance.
- Available with standard hole patterns for vacuum-assist sanding.

| DESCRIPTION | MAX. RPM | STD. PKG. | PART NO. |
|--|----------|-----------|-------------|
| Low Profile Pads for DA/Random orbital Sanders | | | |
| 3" Foam Polishing Pad | | 10 | 63642504295 |
| 3" Hook & Loop Soft Low-Profile | 12,000 | 10* | 63642506128 |
| 3" x 7/8" Hook & Loop Pad | | 10 | 63642541947 |
| 3-1/4" Hook & Loop Buffing Pad | | | 66261085302 |
| 5" PSA Soft Low-Profile | 12,000 | 5* | 63642506126 |
| 5" PSA Medium Low-Profile | 15,000 | 5* | 63642506131 |
| 5" PSA Medium Low-Profile with 5 vacuum holes | 15,000 | 5* | 63642506132 |
| 5" Hook & Loop Soft Low-Profile | 12,000 | 5* | 63642506129 |
| 5" Hook & Loop Medium Low-Profile | 15,000 | 5* | 63642506135 |
| 5" Hook & Loop Medium Low-Profile with 5 vacuum holes | 15,000 | 5* | 63642506136 |
| 6" PSA Soft Low-Profile | 12,000 | 5* | 63642506127 |
| 6" PSA Medium Low-Profile | 15,000 | 5* | 63642506133 |
| 6" PSA Medium Low-Profile with 6 vacuum holes | 15,000 | 5* | 63642506134 |
| 6" Hook & Loop Soft Low-Profile | 12,000 | 5* | 63642506130 |
| 6" Hook & Loop Medium Low-Profile | 15,000 | 5* | 63642506137 |
| 6" Hook & Loop Medium Low-Profile with 6 vacuum holes | 15,000 | 5* | 63642506138 |
| 8" Hook & Loop Medium Low-Profile with 8 vacuum holes, 5 screw | 1,500 | 5* | 63642543712 |
| 8" Hook & Loop Medium Low-Profile with 8 vacuum holes, 6 screw | 1,500 | 5* | 63642543714 |

* PACKED IN INDIVIDUAL CLAMSHELL



Multi-Air Hook and Loop Back-up Pads with Vacuum Holes

- Multi-Air back-up pads are engineered to work as a system with our Multi-Air discs to enhance the performance of the discs by aligning with the discs' holes maximizing dust extraction and life of the discs.
- These pads are recommended for all Multi-Air applications.
- Pads have longer hooks for maximum hold.

| DESCRIPTION | STD. PKG. | PART NO. |
|---|-----------|-------------|
| Multi-Air Back-Up Pads with Vacuum Holes | | |
| 5" (125mm) with 5/16"-24 Shank, Urethane Pad | 1 | 66623376000 |
| 6" (150mm) with 5/16"-24 Shank, Urethane Pad | 1 | 63642506160 |
| 8" (203mm) 5-bolt for National Detroit | 10 | 07660782017 |



Tapered Pads for Dual Action / Random Orbital Sanders

- Designed with medium density polyurethane foam and a tapered edge for conformability, these pads are firm enough for flat surfaces, yet soft enough for severe curves and contours.
- Available with either PSA (vinyl) or hook and loop faces in vacuum or non-vacuum.
- The 5" and 6" pads are shock resistant and have a fiberglass backing plate with a riveted 5/16"-24 threaded shank for use on random orbital or dual action sanders.
- The 8" pads have a 5/8"-11 threaded female hub.

| DESCRIPTION | MAX. RPM | STD. PKG. | PART NO. |
|---|----------|-----------|-------------|
| Tapered Pads for DA/Random orbital Sanders | | | |
| 5" PSA Medium Tapered | 15,000 | 5* | 63642506139 |
| 5" PSA Medium Tapered with 5 vacuum holes | 15,000 | 5* | 63642506140 |
| 5" Hook & Loop Medium Tapered | 15,000 | 5* | 63642506143 |
| 5" Hook & Loop Medium Tapered with 5 vacuum holes | 15,000 | 5* | 63642506144 |
| 6" PSA Medium Tapered | 15,000 | 5* | 63642506141 |
| 6" PSA Medium Tapered with 6 vacuum holes | 15,000 | 5* | 63642506142 |
| 6" Hook & Loop Medium Tapered | 15,000 | 5* | 63642506145 |
| 6" Hook & Loop Medium Tapered with 6 vacuum holes | 15,000 | 5* | 63642506146 |
| 8" PSA Medium Tapered | 6,000 | 5* | 63642543112 |
| 8" Hook & Loop Medium Tapered | 3,200 | 5* | 63642543704 |


* PACKED IN INDIVIDUAL CLAMSHELL



Hook & Loop Foam Interface Pads

- Designed for use with our fine grit hook and loop sanding discs.
- Improve both surface finish and cut rate.
- Use with hook and loop back-up pads.


| DESCRIPTION | STD. PKG. | PART NO. |
|--|-----------|-------------|
| Foam Hook & Loop Interface Pads | | |
| 3" Diameter, 1/2" Thick Interface | 10 | 63642505457 |
| 6" Diameter, 1/2" Thick Interface | 5 | 63642542089 |
| 5" Diameter, 3/4" Thick Interface | 2 | 63642502161 |
| 6" Diameter, 3/4" Thick Interface | 2 | 63642502162 |



Half Moon Hand Pad

- The unique half moon pad uses a standard 5" hook and loop disc folded in half, which adheres to the hooks on the pad face.
- The straight edge of the pad allows the operator to sand corners, contours, narrow crevices and minute imperfections without over-sanding.

| DESCRIPTION | STD. PKG. | PART NO. |
|---------------------------|-----------|-------------|
| Half Moon Hand Pad | | |
| 5" Hook and Loop | 10 | 63642502768 |



Polishing Adapter Pad

- Converts your standard hook and loop pad into a soft polishing pad.
- The foam adapter is 3/8" thick and is excellent for fine grits where minimal removal is required.
- It is ideal for either flat or contour surfaces.

| DESCRIPTION | MAX. RPM | STD. PKG. | PART NO. |
|------------------------------|----------|-----------|-------------|
| Polishing Adapter Pad | | | |
| 5" Hook and Loop Adapter Pad | 3,786 | 10 | 63642503121 |



Ergonomic Hand Sanders

- The ergonomic palm sander is uniquely designed to be user-friendly, with finger indentations for the operator.
- It quickly converts standard 5" and 6" hook and loop discs into hand sanders for finishing flat surfaces.

| DESCRIPTION | STD. PKG. | PART NO. |
|------------------------------|-----------|-------------|
| Ergonomic Hand Sander | | |
| 5" Hook and Loop | 5 | 63642503147 |
| 6" Hook and Loop | 5 | 63642503726 |



Disc Hand Pads

- Hand pads eliminate finger sanding.
- The 1" thick pad is composed of two layers, neoprene and polyester foam, for excellent conformability and softness, resulting in fine finishes.
- The ultra-thin 3/16" thick pad is composed of a single layer of neoprene foam and is designed for maximum flexibility – producing excellent finishes.
- Each pad has an elastic hand strap to hold it firmly in place.
- Available with either PSA (vinyl) faces or hook and loop face.

| DESCRIPTION | STD. PKG. | PART NO. |
|---------------------------------------|-----------|-------------|
| Disc Hand Pads | | |
| 5" x 3/16" Thick Soft Foam PSA | 10 | 63642503111 |
| 5" x 1" Thick Soft Foam PSA | 10 | 63642502842 |
| 5" x 1" Thick Soft Foam Hook and Loop | 10 | 63642503117 |



Panel and Adhesive Cleaner

- Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces.
- Aggressive cleaner is safe to use on most paint applications.
- Packaged with squirt dispenser.
- Use as directed.

| DESCRIPTION | STD. PKG. | PART NO. |
|-----------------------------------|-----------|-------------|
| Panel and Adhesive Cleaner | | |
| Quart Can | 12 | 07660782780 |